

# NHS Data Model and Dictionary



**Type:** Change Request  
**Reference:** 1932  
**Version No:** 1.0  
**Subject:** Systemic Anti-Cancer Therapy Data Set Version 4  
**Effective Date:** 1 April 2026  
**Reason for Change:** Change to Information Standards  
**Publication Date:** 6 August 2025

## Background:

The Systemic Anti-Cancer Therapy Data Set Version 3 was approved by the Data Coordination Board (DCB) as: [DCB1533: Systemic Anti-Cancer Therapy Data Set](#).

A number of changes have been identified since the last version, and the Systemic Anti-Cancer Therapy Data Set Version 4 includes:

- Amendments to National Code values and descriptions
- New Data Items
- Retirement of Data Items

To support the Information Standard, this Change Request updates the NHS Data Model and Dictionary to introduce the Systemic Anti-Cancer Therapy Data Set Version 4.

A short demonstration is available which describes "How to Read an NHS Data Model and Dictionary Change Request", in an easy to understand screen capture including a voice over and readable captions. This demonstration can be viewed at: [https://datadictionary.nhs.uk/elearning/change\\_request/index.html](https://datadictionary.nhs.uk/elearning/change_request/index.html).

Note: if the web page does not open, please copy the link and paste into the web browser. A guide to how to use the demonstration can be found at: [Demonstrations](#).

## Summary of changes:

### Data Set

[SYSTEMIC ANTI-CANCER THERAPY DATA SET](#)

Changed Description

### Supporting Information

[COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS](#)

New Supporting Information

[SUPPORTING DEFINITIONS MENU](#)

Changed Description

[SYSTEMIC ANTI-CANCER THERAPY DATA SET OVERVIEW](#)

Changed Description

### Class Definitions

<a href="#">ACTIVITY DRUG</a>	Changed Attributes
<a href="#">CLINICAL INTERVENTION</a>	Changed Attributes

**Attribute Definitions**

<a href="#">COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE</a>	New Attribute
<a href="#">CO-MORBIDITY ADJUSTMENT INDICATOR (RETIRED)</a> renamed from <a href="#">CO-MORBIDITY ADJUSTMENT INDICATOR</a>	Changed Name, status to Retired, Description
<a href="#">OTHER UNIT OF MEASUREMENT DESCRIPTION FOR SYSTEMIC ANTI-CANCER THERAPY</a>	Changed Description
<a href="#">PERFORMANCE STATUS FOR ADULTS</a>	Changed Description
<a href="#">SYSTEMIC ANTI-CANCER THERAPY ACTUAL DOSE (RETIRED)</a> renamed from <a href="#">SYSTEMIC ANTI-CANCER THERAPY ACTUAL DOSE</a>	Changed Name, status to Retired, Description
<a href="#">SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT COMPLETED AS PLANNED INDICATOR (RETIRED)</a> renamed from <a href="#">SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT COMPLETED AS PLANNED INDICATOR</a>	Changed Name, status to Retired, Description
<a href="#">SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT NOT COMPLETED OUTCOME REASON (RETIRED)</a> renamed from <a href="#">SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT NOT COMPLETED OUTCOME REASON</a>	Changed Name, status to Retired, Description
<a href="#">SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DELAY INDICATOR</a>	New Attribute
<a href="#">SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DELAY REASON</a>	New Attribute
<a href="#">SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DRUG OMISSION INDICATOR</a>	New Attribute
<a href="#">SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DRUG OMISSION REASON</a>	New Attribute
<a href="#">SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE PATIENT CLINICAL FACTORS DELAY REASON</a>	New Attribute
<a href="#">SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE PATIENT CLINICAL FACTORS DRUG OMISSION REASON</a>	New Attribute
<a href="#">SYSTEMIC ANTI-CANCER THERAPY DRUG DOSE MODIFICATION INDICATOR</a>	New Attribute
<a href="#">SYSTEMIC ANTI-CANCER THERAPY DRUG DOSE MODIFICATION REASON</a>	New Attribute
<a href="#">SYSTEMIC ANTI-CANCER THERAPY DRUG PATIENT CLINICAL FACTORS DOSE MODIFICATION REASON</a>	New Attribute
<a href="#">SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN COMPLETION OR END REASON</a>	New Attribute
<a href="#">SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN GIVEN AS PART OF CHEMORADIATION INDICATOR</a>	New Attribute
<a href="#">SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN LINE OF TREATMENT</a>	New Attribute

<a href="#"><u>SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN MODIFICATION INDICATOR FOR DOSE REDUCTION (RETIRED)</u></a> renamed from <a href="#"><u>SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN MODIFICATION INDICATOR FOR DOSE REDUCTION</u></a>	Changed Name, status to Retired, Description
<a href="#"><u>SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN PATIENT CLINICAL FACTORS UPFRONT DOSE MODIFICATION REASON</u></a>	New Attribute
<a href="#"><u>SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN TREATMENT CONTEXT</u></a>	New Attribute
<a href="#"><u>SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN TREATMENT INTENT</u></a>	Changed Description
<a href="#"><u>SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN UPFRONT DOSE MODIFICATION INDICATOR</u></a>	New Attribute
<a href="#"><u>SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN UPFRONT DOSE MODIFICATION REASON</u></a>	New Attribute
<a href="#"><u>SYSTEMIC ANTI-CANCER THERAPY NON CURATIVE TREATMENT PATIENT BENEFIT INDICATOR (RETIRED)</u></a> renamed from <a href="#"><u>SYSTEMIC ANTI-CANCER THERAPY NON CURATIVE TREATMENT PATIENT BENEFIT INDICATOR</u></a>	Changed Name, status to Retired, Description
<a href="#"><u>SYSTEMIC ANTI-CANCER THERAPY TOTAL DAILY DOSE</u></a>	New Attribute
<a href="#"><u>SYSTEMIC ANTI-CANCER THERAPY TOXICITY MODIFICATION INDICATOR (RETIRED)</u></a> renamed from <a href="#"><u>SYSTEMIC ANTI-CANCER THERAPY TOXICITY MODIFICATION INDICATOR</u></a>	Changed Name, status to Retired, Description
<a href="#"><u>UNIT OF MEASUREMENT FOR SYSTEMIC ANTI-CANCER THERAPY</u></a>	Changed Description

**Data Elements**

<a href="#"><u>CODED PROCEDURE TIMESTAMP (INFUSION ADMINISTRATION)</u></a>	New Data Element
<a href="#"><u>COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE (SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DELAY)</u></a>	New Data Element
<a href="#"><u>COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE (SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DRUG OMISSION)</u></a>	New Data Element
<a href="#"><u>COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE (SYSTEMIC ANTI-CANCER THERAPY DRUG DOSE MODIFICATION)</u></a>	New Data Element
<a href="#"><u>COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE (SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN UPFRONT DOSE MODIFICATION)</u></a>	New Data Element
<a href="#"><u>CO-MORBIDITY ADJUSTMENT INDICATOR (RETIRED)</u></a> renamed from <a href="#"><u>CO-MORBIDITY ADJUSTMENT INDICATOR</u></a>	Changed linked Attribute, Name, status to Retired, Description
<a href="#"><u>CONSULTANT CODE (INITIATED SYSTEMIC ANTI-CANCER THERAPY) (RETIRED)</u></a> renamed from <a href="#"><u>CONSULTANT CODE (INITIATED SYSTEMIC ANTI-CANCER THERAPY)</u></a>	Changed linked Attribute, Name, status to Retired, Description
<a href="#"><u>NUMBER OF SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLES ADMINISTERED</u></a>	New Data Element

<a href="#">OTHER SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT NOT COMPLETED OUTCOME REASON (RETIRED)</a> renamed from <a href="#">OTHER SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT NOT COMPLETED OUTCOME REASON</a>	Changed linked Attribute, Name, status to Retired, Description
<a href="#">PERFORMANCE STATUS (ADULT START OF SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE)</a>	Changed Description
<a href="#">PERFORMANCE STATUS (ADULT START OF SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN)</a>	Changed Description
<a href="#">PRIMARY DIAGNOSIS (ICD-10 AT START SYSTEMIC ANTI-CANCER THERAPY)</a> renamed from <a href="#">PRIMARY DIAGNOSIS (ICD AT START SYSTEMIC ANTI-CANCER THERAPY)</a>	Changed Name, Description
<a href="#">PROFESSIONAL REGISTRATION ENTRY IDENTIFIER (INITIATED SYSTEMIC ANTI-CANCER THERAPY)</a>	New Data Element
<a href="#">PROFESSIONAL REGISTRATION ISSUER CODE (INITIATED SYSTEMIC ANTI-CANCER THERAPY)</a>	New Data Element
<a href="#">ROUTE OF ADMINISTRATION (SNOMED CT)</a>	Changed Description
<a href="#">ROUTE OF ADMINISTRATION (SNOMED CT DM+D) (RETIRED)</a> renamed from <a href="#">ROUTE OF ADMINISTRATION (SNOMED CT DM+D)</a>	Changed linked Attribute, Name, status to Retired, Description
<a href="#">SYSTEMIC ANTI-CANCER THERAPY ACTUAL DOSE (RETIRED)</a> renamed from <a href="#">SYSTEMIC ANTI-CANCER THERAPY ACTUAL DOSE</a>	Changed linked Attribute, Name, status to Retired, Description
<a href="#">SYSTEMIC ANTI-CANCER THERAPY ADMINISTRATION DATE (RETIRED)</a> renamed from <a href="#">SYSTEMIC ANTI-CANCER THERAPY ADMINISTRATION DATE</a>	Changed linked Attribute, Name, status to Retired, Description
<a href="#">SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT COMPLETED AS PLANNED INDICATOR (RETIRED)</a> renamed from <a href="#">SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT COMPLETED AS PLANNED INDICATOR</a>	Changed linked Attribute, Name, status to Retired, Description
<a href="#">SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT NOT COMPLETED OUTCOME REASON (RETIRED)</a> renamed from <a href="#">SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT NOT COMPLETED OUTCOME REASON</a>	Changed linked Attribute, Name, status to Retired, Description
<a href="#">SYSTEMIC ANTI-CANCER THERAPY DRUG (SNOMED CT DM+D) (RETIRED)</a> renamed from <a href="#">SYSTEMIC ANTI-CANCER THERAPY DRUG (SNOMED CT DM+D)</a>	Changed linked Attribute, Name, status to Retired, Description
<a href="#">SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DELAY INDICATOR</a>	New Data Element
<a href="#">SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DELAY REASON</a>	New Data Element
<a href="#">SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DRUG OMISSION INDICATOR</a>	New Data Element
<a href="#">SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DRUG OMISSION REASON</a>	New Data Element
<a href="#">SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE LENGTH IN DAYS</a>	New Data Element
<a href="#">SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE PATIENT CLINICAL FACTORS DELAY REASON</a>	New Data Element

<a href="#"><u>SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE PATIENT CLINICAL FACTORS DRUG OMISSION REASON</u></a>	New Data Element
<a href="#"><u>SYSTEMIC ANTI-CANCER THERAPY DRUG DOSE MODIFICATION INDICATOR</u></a>	New Data Element
<a href="#"><u>SYSTEMIC ANTI-CANCER THERAPY DRUG DOSE MODIFICATION REASON</u></a>	New Data Element
<a href="#"><u>SYSTEMIC ANTI-CANCER THERAPY DRUG PATIENT CLINICAL FACTORS DOSE MODIFICATION REASON</u></a>	New Data Element
<a href="#"><u>SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN COMPLETION OR END REASON</u></a>	New Data Element
<a href="#"><u>SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN GIVEN AS PART OF CHEMORADIATION INDICATOR</u></a>	New Data Element
<a href="#"><u>SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN LINE OF CURATIVE TREATMENT</u></a>	New Data Element
<a href="#"><u>SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN LINE OF NON-CURATIVE TREATMENT</u></a>	New Data Element
<a href="#"><u>SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN MODIFICATION INDICATOR (DOSE REDUCTION) (RETIRED)</u></a> renamed from <a href="#"><u>SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN MODIFICATION INDICATOR (DOSE REDUCTION)</u></a>	Changed linked Attribute, Name, status to Retired, Description
<a href="#"><u>SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN PATIENT CLINICAL FACTORS UPFRONT DOSE MODIFICATION REASON</u></a>	New Data Element
<a href="#"><u>SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN TREATMENT CONTEXT</u></a>	New Data Element
<a href="#"><u>SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN TREATMENT INTENT</u></a>	Changed Description
<a href="#"><u>SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN UPFRONT DOSE MODIFICATION INDICATOR</u></a>	New Data Element
<a href="#"><u>SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN UPFRONT DOSE MODIFICATION REASON</u></a>	New Data Element
<a href="#"><u>SYSTEMIC ANTI-CANCER THERAPY NON CURATIVE TREATMENT PATIENT BENEFIT INDICATOR (RETIRED)</u></a> renamed from <a href="#"><u>SYSTEMIC ANTI-CANCER THERAPY NON CURATIVE TREATMENT PATIENT BENEFIT INDICATOR</u></a>	Changed linked Attribute, Name, status to Retired, Description
<a href="#"><u>SYSTEMIC ANTI-CANCER THERAPY ORAL DRUG DISPENSED DATE</u></a>	New Data Element
<a href="#"><u>SYSTEMIC ANTI-CANCER THERAPY TOTAL DAILY DOSE</u></a>	New Data Element
<a href="#"><u>SYSTEMIC ANTI-CANCER THERAPY TOXICITY MODIFICATION INDICATOR (RETIRED)</u></a> renamed from <a href="#"><u>SYSTEMIC ANTI-CANCER THERAPY TOXICITY MODIFICATION INDICATOR</u></a>	Changed linked Attribute, Name, status to Retired, Description
<a href="#"><u>UNIT OF MEASUREMENT (DM+D)</u></a>	Changed Description
<a href="#"><u>UNIT OF MEASUREMENT (SNOMED CT DM+D) (RETIRED)</u></a> renamed from <a href="#"><u>UNIT OF MEASUREMENT (SNOMED CT DM+D)</u></a>	Changed linked Attribute, Name, status to Retired, Description
<b><u>XML Schema Constraint</u></b>	
<a href="#"><u>SYSTEMIC ANTI-CANCER THERAPY DATA SET CONSTRAINTS</u></a>	Changed Description

Date: 6 August 2025

Sponsor: Sarah Stevens, Deputy Director, National Disease Registration Service

Note: New text is shown with a blue background. Deleted text is crossed out. Retired text is shown in grey. Within the Diagrams deleted classes and relationships are red, changed items are blue and new items are green.

---

**SYSTEMIC ANTI-CANCER THERAPY DATA SET**

---

Change to Data Set: Changed Description

**DEMOGRAPHICS AND CONSULTANT**  
**LINKAGE - PATIENT IDENTITY DETAILS: LINKAGE IDENTIFIER CHOICE**

~~To carry details for the demographics and consultant.  
One occurrence of this group is required.~~

One of the following Linkage Identifier sections **MUST** be provided

**CHOICE 1 - NHS NUMBER**

To carry patient identity details for linkage.

One occurrence of this group is required if selected as the choice.

M/R	Data Set Data Elements
M	<a href="#">NHS NUMBER</a> or <a href="#">LOCAL PATIENT IDENTIFIER (EXTENDED)</a>
M	<a href="#">NHS NUMBER STATUS INDICATOR CODE</a>
M	<a href="#">PERSON FAMILY NAME</a>
M	<a href="#">PERSON GIVEN NAME</a>
M	<a href="#">PERSON BIRTH DATE</a>
M	<a href="#">NHS NUMBER</a>

**OR**

**CHOICE 2 - LOCAL PATIENT IDENTIFIER**

To carry patient identity details for linkage.

One occurrence of this group is required if selected as the choice.

M/R	Data Set Data Elements
M	<a href="#">LOCAL PATIENT IDENTIFIER (EXTENDED)</a>

**LINKAGE - PATIENT IDENTITY DETAILS**

To carry patient identity details for linkage.

One occurrence of this group is required.

M/R	Data Set Data Elements
-----	------------------------

M	NHS NUMBER STATUS INDICATOR CODE
M	PERSON BIRTH DATE
M	ORGANISATION IDENTIFIER (CODE OF PROVIDER)

**DEMOGRAPHICS AND CARE PROFESSIONAL DETAILS**

To carry details for the demographics and Care Professional.

One occurrence of this group is permitted.

M/R	Data Set Data Elements
M	PERSON FAMILY NAME
M	PERSON GIVEN NAME
R	PERSON STATED GENDER CODE
M	POSTCODE OF USUAL ADDRESS
R	CONSULTANT CODE (INITIATED SYSTEMIC ANTI-CANCER THERAPY)
R	CARE PROFESSIONAL MAIN SPECIALTY CODE (START SYSTEMIC ANTI-CANCER THERAPY)
M	ORGANISATION IDENTIFIER (CODE OF PROVIDER)

**DEMOGRAPHICS AND CARE PROFESSIONAL DETAILS: CARE PROFESSIONAL INITIATING TREATMENT**

To carry details for the Care Professional initiating the treatment.

One occurrence of this group is permitted per Demographics and Care Professional Details.

M/R	Data Set Data Elements
M	PROFESSIONAL REGISTRATION ISSUER CODE (INITIATED SYSTEMIC ANTI-CANCER THERAPY)
M	PROFESSIONAL REGISTRATION ENTRY IDENTIFIER (INITIATED SYSTEMIC ANTI-CANCER THERAPY)

**DEMOGRAPHICS AND CARE PROFESSIONAL DETAILS: CONTINUED**

To carry details for the demographics and Care Professional.

One occurrence of this group is permitted.

M/R	Data Set Data Elements
R	CARE PROFESSIONAL MAIN SPECIALTY CODE (START SYSTEMIC ANTI-CANCER THERAPY)

**CLINICAL STATUS: DIAGNOSIS CHOICE**

One of the following Diagnosis Identifier sections MUST be provided

**CHOICE 1 - ICD**

To carry diagnosis identifier details for ICD.

One occurrence of this group is required if selected as the choice.

M/R	Data Set Data Elements
-----	------------------------

M	PRIMARY DIAGNOSIS (ICD-10 AT START SYSTEMIC ANTI-CANCER THERAPY)
---	--

OR

<b>CHOICE 2 - ICD-O</b>	
To carry diagnosis identifier details for ICD-O. One occurrence of this group is required if selected as the choice.	
<b>M/R</b>	<b>Data Set Data Elements</b>
M	MORPHOLOGY (ICD-O AT START SYSTEMIC ANTI-CANCER THERAPY)

**CLINICAL STATUS**

To carry the clinical status details. One occurrence of this group is required.	
<b>M/O</b>	<b>Data Set Data Elements</b>
M	PRIMARY DIAGNOSIS (ICD AT START SYSTEMIC ANTI-CANCER THERAPY) and/or MORPHOLOGY (ICD O AT START SYSTEMIC ANTI-CANCER THERAPY)
O	DIAGNOSIS (SNOMED CT)
<b>M/R</b>	<b>Data Set Data Elements</b>
R	DIAGNOSIS (SNOMED CT)

**REGIMEN**

To carry details of the Systemic Anti-Cancer Drug Regimen. One occurrence of this group is permitted.	
<b>M/R</b>	<b>Data Set Data Elements</b>
R	ADJUNCTIVE THERAPY TYPE
R	SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN TREATMENT INTENT Up to four occurrences of this item are permitted
R	SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN TREATMENT CONTEXT
R	SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN TREATMENT INTENT

**REGIMEN: LINE OF TREATMENT CHOICE**

One of the following Line of Treatment sections <b>MUST</b> be provided	
<b>CHOICE 1 - CURATIVE</b>	
To carry Line of Treatment identifier details for Curative Treatment. One occurrence of this group is required if selected as the choice.	
<b>M/R</b>	<b>Data Set Data Elements</b>
M	SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN LINE OF CURATIVE TREATMENT

OR

<b>CHOICE 2 - NON-CURATIVE</b>	

To carry Line of Treatment identifier details for Non-Curative Treatment.

One occurrence of this group is required if selected as the choice.

M/R	Data Set Data Elements
M	SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN LINE OF NON-CURATIVE TREATMENT

**REGIMEN - CONTINUED**

To carry details of the Systemic Anti-Cancer Drug Regimen.

One occurrence of this group is permitted.

M/R	Data Set Data Elements
M	SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN ACRONYM
R	PERSON HEIGHT IN METRES (START OF SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN)
R	PERSON WEIGHT (START OF SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN)
R	PERFORMANCE STATUS (ADULT START OF SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN)
R	CO-MORBIDITY ADJUSTMENT INDICATOR
R	DECISION TO TREAT DATE (SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN)
M	START DATE (SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN)
R	CLINICAL TRIAL INDICATOR
R	SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN GIVEN AS PART OF CHEMORADIATION INDICATOR

**REGIMEN: REGIMEN MODIFICATION**

To carry details of the Systemic Anti-Cancer Therapy Drug Regimen upfront dose modification.

One occurrence of this group is permitted per Regimen.

M/R	Data Set Data Elements
M	SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN UPFRONT DOSE MODIFICATION INDICATOR
R	SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN UPFRONT DOSE MODIFICATION REASON Multiple occurrences of this item are permitted
R	SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN PATIENT CLINICAL FACTORS UPFRONT DOSE MODIFICATION REASON Multiple occurrences of this item are permitted
R	COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE (SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN UPFRONT DOSE MODIFICATION)

**CYCLE**

To carry details of each Systemic Anti-Cancer Therapy Cycle.  
Multiple occurrences of this group are permitted. One for each Systemic Anti-Cancer Therapy Cycle.

M/R	Data Set Data Elements
R	<u>SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE IDENTIFIER</u>
M	<u>SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE IDENTIFIER</u>
M	<u>START DATE (SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE)</u>
R	<u>PERSON WEIGHT (START OF SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE)</u>
R	<u>PERFORMANCE STATUS (ADULT START OF SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE)</u>

#### CYCLE: CYCLE MODIFICATION

To carry details of the Systemic Anti-Cancer Therapy cycle modification.  
One occurrence of this group is permitted per Cycle.

M/R	Data Set Data Elements
M	<u>SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DRUG OMISSION INDICATOR</u>
R	<u>SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DRUG OMISSION REASON</u> Multiple occurrences of this item are permitted
R	<u>SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE PATIENT CLINICAL FACTORS DRUG OMISSION REASON</u> Multiple occurrences of this item are permitted
R	<u>COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE (SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DRUG OMISSION)</u>

#### CYCLE: CYCLE DELAY

To carry details of the Systemic Anti-Cancer Therapy cycle delay.  
One occurrence of this group is permitted per Cycle.

M/R	Data Set Data Elements
M	<u>SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DELAY INDICATOR</u>
R	<u>SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DELAY REASON</u> Multiple occurrences of this item are permitted
R	<u>SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE PATIENT CLINICAL FACTORS DELAY REASON</u> Multiple occurrences of this item are permitted
R	<u>COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE (SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DELAY)</u>

#### DRUG DETAILS

To carry details of the Systemic Anti-Cancer Therapy Drugs for the patients treatment.  
Multiple occurrences of this group are permitted. One for each Systemic Anti-Cancer Therapy Drug.

M/R/O/P	Data Set Data Elements
<b>To carry details of the Systemic Anti-Cancer Therapy Drugs for the patient's treatment. Multiple occurrences of this group are permitted. One for each Systemic Anti-Cancer Therapy Drug.</b>	
M/R	Data Set Data Elements
M	<a href="#">SYSTEMIC ANTI-CANCER THERAPY DRUG NAME</a>
P	<a href="#">SYSTEMIC ANTI-CANCER THERAPY DRUG (SNOMED CT DM+D)</a>
R	<a href="#">SYSTEMIC ANTI-CANCER THERAPY ACTUAL DOSE</a>
R	<a href="#">UNIT OF MEASUREMENT (SYSTEMIC ANTI-CANCER THERAPY)</a>
R	<a href="#">OTHER UNIT OF MEASUREMENT DESCRIPTION (SYSTEMIC ANTI-CANCER THERAPY)</a>
Q	<a href="#">UNIT OF MEASUREMENT (SNOMED CT DM+D)</a>
R	<a href="#">SYSTEMIC ANTI-CANCER THERAPY TOTAL DAILY DOSE</a>
R	<a href="#">UNIT OF MEASUREMENT (SYSTEMIC ANTI-CANCER THERAPY)</a>
R	<a href="#">OTHER UNIT OF MEASUREMENT DESCRIPTION (SYSTEMIC ANTI-CANCER THERAPY)</a>
R	<a href="#">UNIT OF MEASUREMENT (DM+D)</a>
R	<a href="#">SYSTEMIC ANTI-CANCER THERAPY DRUG ROUTE OF ADMINISTRATION</a>
Q	<a href="#">ROUTE OF ADMINISTRATION (SNOMED CT DM+D)</a>
M	<a href="#">SYSTEMIC ANTI-CANCER THERAPY ADMINISTRATION DATE</a>
R	<a href="#">ROUTE OF ADMINISTRATION (SNOMED CT)</a>

**DRUG DETAILS: ADMINISTRATION DATE CHOICE**

<b>One of the following Administration Dates MUST be provided per Drug Details</b>	
<b>CHOICE 1 - ADMINISTRATION: TIMESTAMP</b>	
To carry drug details for Timestamp.	
One occurrence of this group is required if selected as the choice.	
M/R	Data Set Data Elements
M	<a href="#">CODED PROCEDURE TIMESTAMP (INFUSION ADMINISTRATION)</a>

**OR**

<b>CHOICE 2 - ADMINISTRATION :DATE</b>	
To carry drug details for date.	
One occurrence of this group is required if selected as the choice.	
M/R	Data Set Data Elements
M	<a href="#">SYSTEMIC ANTI-CANCER THERAPY ORAL DRUG DISPENSED DATE</a>

**DRUG DETAILS: CONTINUED**

<b>To carry details of the Systemic Anti-Cancer Therapy Drugs. Multiple occurrences of this group are permitted. One for each Systemic Anti-Cancer Therapy Drug.</b>	
M/R	Data Set Data Elements

R	<a href="#">SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE LENGTH IN DAYS</a>
R	<a href="#">NUMBER OF SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLES ADMINISTERED</a>
R	<a href="#">ORGANISATION IDENTIFIER (OF SYSTEMIC ANTI-CANCER THERAPY ADMINISTRATION)</a>

**DRUG DETAILS: DOSE MODIFICATION**

**To carry details of the Systemic Anti-Cancer Therapy dose modification.  
One occurrence of this group is permitted per Drug Details.**

M/R	Data Set Data Elements
M	<a href="#">SYSTEMIC ANTI-CANCER THERAPY DRUG DOSE MODIFICATION INDICATOR</a>
R	<a href="#">SYSTEMIC ANTI-CANCER THERAPY DRUG DOSE MODIFICATION REASON</a> Multiple occurrences of this item are permitted
R	<a href="#">SYSTEMIC ANTI-CANCER THERAPY DRUG PATIENT CLINICAL FACTORS DOSE MODIFICATION REASON</a> Multiple occurrences of this item are permitted
R	<a href="#">COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE (SYSTEMIC ANTI-CANCER THERAPY DRUG DOSE MODIFICATION)</a>

**OUTCOME**

**To carry details of the outcome applicable to the patient's treatment.  
One occurrence of this group is permitted.**

R/P	Data Set Data Elements
R	<a href="#">SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN MODIFICATION INDICATOR (DOSE REDUCTION)</a>
R	<a href="#">SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT COMPLETED AS PLANNED INDICATOR</a>
R	<a href="#">SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT NOT COMPLETED OUTCOME REASON</a> Up to four occurrences of this item are permitted
R	<a href="#">OTHER SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT NOT COMPLETED OUTCOME REASON</a>
R	<a href="#">SYSTEMIC ANTI-CANCER THERAPY NON CURATIVE TREATMENT PATIENT BENEFIT INDICATOR</a>
P	<a href="#">SYSTEMIC ANTI-CANCER THERAPY TOXICITY MODIFICATION INDICATOR</a>

**To carry details of the outcome.  
Multiple occurrences of this group are permitted.**

M/R	Data Set Data Elements
R	<a href="#">SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN COMPLETION OR END REASON</a> Multiple occurrences of this item are permitted

**COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS**

Change to Supporting Information: New Supporting Information

The [Common Terminology Criteria for Adverse Events \(CTCAE\)](#) are a set of criteria for the standardised classification of adverse events of drugs and treatment used in cancer therapy.

In Cancer therapy, an adverse event is an undesired effect of a drug or other type of treatment, such as surgery.

Further information on [Common Terminology Criteria for Adverse Events](#) can be found on the [National Cancer Institute website](#).

---

## SUPPORTING DEFINITIONS MENU

---

Change to Supporting Information: Changed Description

- [Main Menu](#)

- [NHS Business Definitions](#)
- [Supporting Information](#)

**Supporting Definitions:**

- [18 Weeks](#)
- [Accessible Information](#)
- [Assistive Technology](#)
- [Automatic Identification and Data Capture](#)
- [British Association for Neonatal Neurodevelopmental Follow-up](#)
- [Care Programme Approach](#)
- [Children's Nursing](#)
- [Children Act 2004](#)
- [Clinical Senate](#)
- [Choose and Book](#)
- [Common Terminology Criteria for Adverse Events](#)
- [Community Treatment Order](#)
- [Community Treatment Order Recall](#)
- [Contract Monitoring](#)
- [Data Dictionary Change Notice](#)
- [Data Landing Portal](#)
- [Data Processing Services](#)
- [Data Services for Commissioners](#)
- [Delen](#)
- [Department](#)
- [Department for Work and Pensions Overseas Healthcare Team](#)
- [Discharge After Patient Did Not Attend](#)
- [e-Government Interoperability Framework](#)
- [Elective Admission](#)
- [Electronic Staff Record](#)
- [Electronic Staff Record Data Warehouse](#)
- [eMED3 Fit Note](#)

- [European Economic Area](#)
- [Fast Healthcare Interoperability Resources](#)
- [Fever Nursing](#)
- [Government Data Standards Catalogue](#)
- [GS1 Application Identifier \(Global\)](#)
- [GS1 Application Identifier \(Internal\)](#)
- [GS1 Global Service Relation Number](#)
- [Health and Wellbeing Board](#)
- [Healthcare Resource Group](#)
- [HES Data Dictionary](#)
- [Hospital Bed](#)
- [Hospital Episode Statistics](#)
- [Impairment Harmonised Standard](#)
- [Information Standard and Data Collection \(Including Extractions\)](#)
- [Information Standards Board for Health and Social Care](#)
- [Information Standards Notice](#)
- [Integrated Care Partnership](#)
- [Integrated Care System](#)
- [International Esophageal Database](#)
- [Internet Enabled Therapy Activity Log](#)
- [Laboratory](#)
- [Learning Disabilities Nursing](#)
- [Market Forces Factor](#)
- [Mental Health Nursing](#)
- [National Cancer Registration and Analysis Service](#)
- [National Casemix Office](#)
- [National Disease Registration Service](#)
- [National Health Service \(Overseas Visitors Hospital Charging Regulations\)](#)
- [National Health Service Act 2006](#)
- [National Tariff Payment System](#)
- [Neonatal Critical Care Unit](#)
- [Neonatal Palliative Care](#)
- [Neonatal Data Analysis Unit](#)
- [Neonatal Unit](#)
- [NHS Data Model and Dictionary Service](#)
- [NHS England \(Region\)](#)
- [NHS Payment Scheme](#)
- [NHS Standard Contract](#)
- [Non-Contract Activity](#)
- [Organisation Data Service](#)
- [Overseas Visitor Treatment Portal](#)
- [Personal Demographics Service](#)
- [Point of Delivery](#)
- [Prehabilitation](#)
- [Preterm](#)
- [Primary Care Network](#)
- [Radiology Information System](#)
- [Radiotherapy Record and Verify System](#)
- [Reasonable Adjustment](#)
- [Reasonable Offer](#)
- [Reciprocal Healthcare Agreement](#)

- [Restrictive Intervention Incident](#)
- [Referral To Treatment Period Excluded From Target](#)
- [Rupture of Membranes](#)
- [S2](#)
- [Secondary Uses Service](#)
- [Patient Self-Directed Digital Intervention](#)
- [Signposting](#)
- [Stratified Mucin-Producing Intra-Epithelial Lesion](#)
- [SNOMED CT Browser](#)
- [Special Education Needs](#)
- [Standardisation Committee for Care Information](#)
- [Strategic Data Collection Service](#)
- [Strategic Data Collection Service in the Cloud](#)
- [Specialised Commissioning Hub](#)
- [Sub Integrated Care Board Location](#)
- [Sustainability and Transformation Partnership](#)
- [Technology Reference Update Distribution \(TRUD\)](#)
- [Terminology and Classifications Delivery Service](#)
- [Transforming Care](#)

---

## SYSTEMIC ANTI-CANCER THERAPY DATA SET OVERVIEW

---

Change to Supporting Information: Changed Description

### Introduction

The [Systemic Anti-Cancer Therapy Data Set](#) collects clinical management information on [PATIENTS](#) undergoing [Systemic Anti-Cancer Therapy](#) in (or funded by) the NHS in England.

In the clinical setting its primary use is in prescribing and administering [Systemic Anti-Cancer Therapy](#). The standard also specifies secondary uses information about [Systemic Anti-Cancer Therapy](#) which is required to assist in achieving, supporting and monitoring the NHS Operating Framework, specialised commissioning and related policy.

### Details of Standard

The [Systemic Anti-Cancer Therapy Data Set](#) relates to all cancer [PATIENTS](#), both adult and paediatric, in both admitted [PATIENT](#) care and outpatient and community settings, who are receiving [Systemic Anti-Cancer Therapy](#) for all solid [Tumour](#) and haematological malignancies, including those treated in [CLINICAL TRIALS](#).

The [Systemic Anti-Cancer Therapy Data Set](#) covers the period from the [Start Date](#) of the [Systemic Anti-Cancer Therapy Drug Regimen](#) to the [Start Date](#) of the last [Systemic Anti-Cancer Therapy Drug Cycle](#).

Note: [PATIENTS](#) may end their treatment with an oral or other component taken at home. Although the dispensing of this will be recorded in the final [Systemic Anti-Cancer Therapy Drug Cycle](#), it is not possible to confirm that the [PATIENT](#) has taken the medication.

## Data Set Structure and Transmission

[Systemic Anti-Cancer Therapy](#) is given over a prolonged period of time, often months or years, comprising repeating and sequential elements. The [PATIENT](#) may attend two or more [Health Care Providers](#) during the course of treatment.

In order to track the [PATIENT](#) during treatment, the data set must be capable of linking all the elements of care in a consistent and ordered way. In order to achieve this, the [Systemic Anti-Cancer Therapy Data Set](#) has a branching structure which links the initial data fields, which will remain constant during the treatment, with detail of each [Systemic Anti-Cancer Therapy Drug Regimen](#), [Systemic Anti-Cancer Therapy Drug Cycle](#) and [Systemic Anti-Cancer Therapy Drug Administration](#). At the completion or cessation of a [Systemic Anti-Cancer Therapy Drug Regimen](#), the outcome section must link back to all previous fields. It must be possible to reconstitute details of each [PATIENT](#)'s sequential management from the serial downloads received.

All [NHS Trusts](#) and [NHS Foundation Trusts](#) providing [Systemic Anti-Cancer Therapy Services](#) are required to submit monthly data downloads to an agreed timetable, two months in arrears. These data must represent all treatment activity in the month period, including [Systemic Anti-Cancer Therapy Drug Regimens](#) started and completed or ceased in the [REPORTING PERIOD](#).

The data repository is hosted by the [National Cancer Registration and Analysis Service \(NCRAS\)](#) and the data is held under their section 251 of the [National Health Service Act 2006](#). The data repository is hosted by the [National Disease Registration Service \(NDRS\)](#), which is part of [NHS England](#). The data is held under the [National Disease Registries Directions 2021](#), which was reissued on 2 February 2023.

This is supported by the [National Disease Registration Service: Data Provision Notice](#).

Data downloads is by csv and will uniquely identify the [Health Care Provider](#).

## Further Guidance

Detailed technical guidance on the processes required, and any required updates, is available from the [National Disease Registration Service](#) in the [Downloads and guides](#) supporting the programme.

## Mandation

The Mandation column indicates the recommendation for the inclusion of data.

- M = Mandatory: this data element is mandatory and the technical process (e.g. submission of the data set, production of output etc) cannot be completed without this data element being present
- R = Required: NHS business processes cannot be delivered without this data element
- O = Optional: the inclusion of this data element is optional as required for local purposes
- P = Pilot: this data element is for piloting use only.
- R = Required: NHS business processes cannot be delivered without this data element.

## Data Set Constraints

For guidance on the Data Set constraints, see the [Systemic Anti-Cancer Therapy Data Set Constraints](#).

## ACTIVITY DRUG

---

Change to Class: Changed Attributes

*Attributes of this Class are:*

ACTIVITY DRUG ADMINISTERED NAME  
ACTIVITY DRUG DOSE QUANTITY VALUE  
ACTIVITY DRUG TEXT STRING  
ANTENATAL STEROID COURSE COMPLETION STATUS  
CLINICAL TRIAL MEDICATION ADMINISTERED NAME  
DRUG QUANTITY OR WEIGHT PROPORTION  
DRUG STRENGTH  
DRUG VOLUME  
MEDICATION ADMINISTRATION SETTING TYPE  
~~SYSTEMIC ANTI CANCER THERAPY ACTUAL DOSE~~  
SYSTEMIC ANTI CANCER THERAPY DRUG CYCLE DRUG OMISSION INDICATOR  
SYSTEMIC ANTI CANCER THERAPY DRUG CYCLE DRUG OMISSION REASON  
SYSTEMIC ANTI CANCER THERAPY DRUG CYCLE PATIENT CLINICAL FACTORS DRUG OMISSION REASON  
SYSTEMIC ANTI CANCER THERAPY DRUG DOSE MODIFICATION INDICATOR  
SYSTEMIC ANTI CANCER THERAPY DRUG DOSE MODIFICATION REASON  
SYSTEMIC ANTI CANCER THERAPY DRUG NAME  
~~SYSTEMIC ANTI CANCER THERAPY TOXICITY MODIFICATION INDICATOR~~  
SYSTEMIC ANTI CANCER THERAPY DRUG PATIENT CLINICAL FACTORS DOSE MODIFICATION REASON  
SYSTEMIC ANTI CANCER THERAPY DRUG REGIMEN PATIENT CLINICAL FACTORS UPFRONT DOSE MODIFICATION REASON  
SYSTEMIC ANTI CANCER THERAPY DRUG REGIMEN UPFRONT DOSE MODIFICATION INDICATOR  
SYSTEMIC ANTI CANCER THERAPY DRUG REGIMEN UPFRONT DOSE MODIFICATION REASON  
SYSTEMIC ANTI CANCER THERAPY TOTAL DAILY DOSE

---

## CLINICAL INTERVENTION

---

Change to Class: Changed Attributes

*Attributes of this Class are:*

ABDOMINAL XRAY PERFORMED REASON  
ABDOMINAL XRAY PERFORMED TO INVESTIGATE ABDOMINAL SIGNS INDICATOR  
ABLATIVE THERAPY TYPE  
ACTIVE COOLING INDICATOR  
ACUTE ONCOLOGY ASSESSMENT PATIENT PRESENTATION TYPE  
ACUTE ONCOLOGY EPISODE OUTCOME

ADDITIONAL UNPLANNED PROCEDURE REQUIRED INDICATOR  
ADJUNCTIVE THERAPY TYPE  
ANAESTHETIC TYPE FOR JOINT REPLACEMENT  
ANTIRETROVIRAL THERAPY DRUG REGIMEN GROUP CODE  
ANTIRETROVIRAL THERAPY HOME DELIVERY INDICATOR  
ARTHROPLASTY REVISION TYPE FOR HIP KNEE AND ANKLE REPLACEMENT  
ARTHROPLASTY REVISION TYPE FOR SHOULDER AND ELBOW REPLACEMENT  
ASA PHYSICAL STATUS CLASSIFICATION SYSTEM CODE  
ASA PHYSICAL STATUS CLASSIFICATION SYSTEM CODE FOR NATIONAL JOINT  
REGISTRY  
ASSOCIATED PROCEDURE TYPE FOR ANKLE REPLACEMENT  
BIOLOGICAL GLENOID RESURFACING TYPE FOR SHOULDER REPLACEMENT  
BIOPSY ANAESTHETIC TYPE  
BIOPSY TYPE FOR CENTRAL NERVOUS SYSTEM TUMOURS  
BLOOD PRODUCTS REQUIRED FOLLOWING OESOPHAGECTOMY INDICATION CODE  
BLOOD TRANSFUSION PRODUCT TYPE  
BLOOD TRANSFUSION TYPE  
BONE GRAFT INDICATOR FOR JOINT REPLACEMENT  
BONE GRAFT SOURCE FOR JOINT REPLACEMENT  
BONE GRAFT STRUCTURE FOR JOINT REPLACEMENT  
BRAIN ACTIVITY SCAN PERFORMED INDICATOR  
BRAIN INJURY DETECTED ON MRI SCAN INDICATOR  
BREAST ASSESSMENT OUTCOME  
BREAST TRIPLE DIAGNOSTIC ASSESSMENT INDICATOR  
BRONCHOSCOPY PERFORMED TYPE FOR LUNG CANCER  
CANCER CARE SETTING FOR TREATMENT  
CANCER IMAGING MODALITY  
CANCER IMAGING OUTCOME  
CANCER SURGICAL ADMISSION TYPE  
CANCER TREATMENT MODALITY  
CANCER TREATMENT MODALITY FOR REGISTRATION  
CD4 CELL COUNT PERFORMED INDICATOR  
CEMENT REMOVAL INDICATOR FOR JOINT REPLACEMENT  
CHEMICAL THROMBOPROPHYLAXIS REGIME TYPE FOR JOINT REPLACEMENT  
CHRONIC VIRAL LIVER DISEASE TREATMENT INDICATOR FOR HIV  
CLINICAL INTERVENTION TEXT STRING  
CO-MORBIDITY ADJUSTMENT INDICATOR  
COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE  
COMPONENT REMOVAL INDICATOR FOR JOINT REPLACEMENT  
COMPUTER GUIDED SURGERY INDICATOR FOR JOINT REPLACEMENT  
CONTINUOUS INFUSION OF PULMONARY VASODILATOR RECEIVED INDICATOR  
CONTRACEPTION METHOD STATUS  
DEINFIBULATION UNDERTAKEN REASON

DELIVERED IN WATER INDICATOR  
DELIVERED IN WATER INDICATOR FOR NATIONAL NEONATAL DATA SET  
DELIVERY INSTRUMENT TYPE  
DIEPOXYBUTANE TEST RESULT  
DISTAL MARGIN INVOLVED INDICATION CODE  
DRUG REGIMEN ACRONYM  
EMED3 FIT NOTE FOLLOW UP ASSESSMENT REQUIRED INDICATOR  
EMED3 FIT NOTE ISSUER  
ENDOSCOPIC OR RADIOLOGICAL COMPLICATION TYPE  
ENDOSCOPIC PROCEDURE TYPE  
ENTERAL FEEDING METHOD  
ENTERAL FEED TYPE GIVEN  
ESCALATION IN LEVEL OF PATIENT CARE FOLLOWING OESOPHAGECTOMY  
INDICATOR  
EXCISION TYPE FOR CENTRAL NERVOUS SYSTEM TUMOURS  
EXTERNAL VENTRICULAR DRAIN INSERTED INDICATOR  
EXTRACORPOREAL MEMBRANE OXYGENATION RECEIVED INDICATOR  
FETAL ORDER  
FIRST ANTIRETROVIRAL THERAPY IN THE UNITED KINGDOM INDICATOR  
FIXATION TYPE FOR ELBOW REPLACEMENT  
FIXATION TYPE FOR SHOULDER REPLACEMENT  
HAEMOFILTRATION PERFORMED INDICATOR  
HIP JOINT SURGERY PATIENT POSITION  
HUMAN PAPILLOMAVIRUS VACCINATION DOSE GIVEN  
HYPOGLYCAEMIA TREATMENT INDICATOR  
IMAGE GUIDED SURGERY INDICATOR  
IMAGING ANATOMICAL SITE  
INOTROPE INFUSION ADMINISTERED INDICATOR  
INTERNATIONAL ESOPHAGEAL DATABASE SURGICAL COMPLICATIONS  
INTERVENTION SESSION TYPE FOR STOP SMOKING  
INTERVENTION SETTING TYPE FOR STOP SMOKING  
INTRAVENOUS INFUSION OF GLUCOSE AND ELECTROLYTE SOLUTION  
ADMINISTERED INDICATOR  
INTRAVESICAL CHEMOTHERAPY RECEIVED INDICATOR  
INTRAVESICAL IMMUNOTHERAPY RECEIVED INDICATOR  
JOINT REPLACEMENT PATIENT PROCEDURE PERFORMED INDICATOR  
JOINT REPLACEMENT REVISION REASON CODE FOR ANKLE  
JOINT REPLACEMENT REVISION REASON CODE FOR ELBOW  
JOINT REPLACEMENT REVISION REASON CODE FOR HIP  
JOINT REPLACEMENT REVISION REASON CODE FOR KNEE  
JOINT REPLACEMENT REVISION REASON CODE FOR SHOULDER  
KI 67 STAINING PERFORMED INDICATION CODE  
LABOUR OR DELIVERY ONSET METHOD

LAPAROTOMY FOR NECROTISING ENTEROCOLITIS INDICATION CODE  
LATENT TUBERCULOSIS TEST PERFORMED INDICATOR  
LINER REMOVAL INDICATOR FOR JOINT REPLACEMENT  
LIVER CANCER SURVEILLANCE SCAN INDICATOR  
LIVER SURGERY PERFORMED TYPE  
LIVER TRANSARTERIAL EMBOLISATION PROCEDURE TYPE  
LONGITUDINAL RESECTION MARGIN INVOLVED INDICATION CODE  
MAGNESIUM SULPHATE ADMINISTERED INDICATOR  
MALIGNANCY TREATMENT INDICATOR FOR HIV  
MARGIN INVOLVED INDICATION CODE  
MATERNITY CARE SETTING  
MECHANICAL THROMBOPROPHYLAXIS REGIME TYPE FOR JOINT REPLACEMENT  
MEDIASTINAL SAMPLING INDICATOR FOR LUNG CANCER  
MINIMALLY INVASIVE OESOPHAGECTOMY SURGICAL APPROACH TYPE  
MINIMALLY INVASIVE SURGERY INDICATOR FOR JOINT REPLACEMENT  
MRI SCAN PERFORMED INDICATOR  
MRI ULTRASOUND FUSION GUIDED BIOPSY INDICATOR  
MULTIPARAMETRIC MRI SCAN INDICATOR  
NEOADJUVANT THERAPY INDICATOR  
NEONATAL RESUSCITATION METHOD FOR NATIONAL NEONATAL DATA SET  
NEURODEVELOPMENTAL ASSESSMENT ALREADY TAKEN INDICATOR  
NEWBORN HEARING SCREENING TEST TYPE  
NITRIC OXIDE ADMINISTERED INDICATOR  
OBSERVATION SCHEME IN USE  
OESOPHAGECTOMY ANASTOMOSIS TYPE  
OESOPHAGECTOMY NECK DISSECTION INDICATOR  
OESOPHAGECTOMY OESOPHAGEAL CONDUIT TYPE  
OESOPHAGECTOMY SURGICAL APPROACH TYPE  
OPEN OESOPHAGECTOMY SURGICAL APPROACH TYPE  
OPERATION STATUS CODE  
OXYGEN ADMINISTERED INDICATOR  
OXYGEN DELIVERY MODE FOR NATIONAL NEONATAL DATA SET  
OXYGEN THERAPY AMOUNT CODE ON DISCHARGE FROM NEONATAL CRITICAL CARE  
PARENTAL CONSENT TO ADMINISTER VITAMIN K INDICATOR  
PARENTAL CONSENT TO POST MORTEM INDICATOR  
PARENTERAL NUTRITION RECEIVED INDICATOR  
PASSIVE COOLING INDICATOR  
PATHOLOGY INVESTIGATION TYPE  
PATHOLOGY INVESTIGATION TYPE FOR BREAST SCREENING  
PATIENT CONSENT FOR TISSUE BANKED AT DIAGNOSIS INDICATION CODE  
PATIENT DIAGNOSIS TREATMENT PROVIDED INDICATION CODE FOR SEXUAL  
HEALTH SERVICE  
PATIENT PROCEDURE TYPE FOR PRIMARY ANKLE REPLACEMENT

PATIENT PROCEDURE TYPE FOR PRIMARY ELBOW REPLACEMENT  
PATIENT PROCEDURE TYPE FOR PRIMARY HIP REPLACEMENT  
PATIENT PROCEDURE TYPE FOR PRIMARY KNEE REPLACEMENT  
PATIENT PROCEDURE TYPE FOR PRIMARY SHOULDER REPLACEMENT  
PATIENT PROCEDURE TYPE FOR REVISION ANKLE REPLACEMENT  
PATIENT PROCEDURE TYPE FOR REVISION ELBOW REPLACEMENT  
PATIENT PROCEDURE TYPE FOR REVISION HIP REPLACEMENT  
PATIENT PROCEDURE TYPE FOR REVISION KNEE REPLACEMENT  
PATIENT PROCEDURE TYPE FOR REVISION SHOULDER REPLACEMENT  
PATIENT SPECIFIC INSTRUMENTS INDICATOR FOR SHOULDER OR KNEE  
REPLACEMENT  
PATIENT SUBJECT TO REMOTE MONITORING INDICATOR  
PERITONEAL DIALYSIS RECEIVED INDICATOR  
PERITONEAL DRAIN INSERTED FOLLOWING ABDOMINAL XRAY INDICATOR  
PHOTOTHERAPY RECEIVED INDICATOR  
PLANE OF SURGICAL EXCISION QUALITY  
PRETREATMENT PROSTATE BIOPSY TECHNIQUE TYPE  
PREVIOUS BONY INFECTION INDICATOR OF TIBIA OR HINDFOOT FOR ANKLE  
REPLACEMENT  
PREVIOUS FRACTURE OF INDEX JOINT INDICATOR FOR ANKLE REPLACEMENT  
PREVIOUS INDEX JOINT SURGERY TYPE FOR ANKLE REPLACEMENT  
PREVIOUS SURGERY TYPE FOR SHOULDER REPLACEMENT  
PRIMARY INDUCTION CHEMOTHERAPY FAILURE INDICATOR  
PROCEDURE SCHEME IN USE  
PROSTAGLANDIN INFUSION RECEIVED INDICATOR  
PROSTATE NERVE SPARING SURGERY TYPE  
PROXIMAL MARGIN INVOLVED INDICATION CODE  
RADICAL PROSTATECTOMY MARGIN STATUS  
RADIOISOTOPE  
RADIOTHERAPY ACTUAL DOSE  
RADIOTHERAPY ATTENDANCE ADDITIONAL PROCEDURE  
RADIOTHERAPY PLAN OTHER PROCEDURE  
RADIOTHERAPY PRESCRIBED BEAM TYPE  
RADIOTHERAPY PRESCRIBED DOSE  
RADIOTHERAPY TREATMENT INTENT  
RADIOTHERAPY TREATMENT MODALITY  
REGIONAL ANAESTHETIC TECHNIQUE FOR LUNG CANCER  
RELAPSE METHOD DETECTION TYPE  
RENAL VEIN TUMOUR INDICATOR FOR PAEDIATRIC KIDNEY  
RENAL VEIN TUMOUR THROMBUS INDICATION CODE FOR UROLOGICAL  
RESPIRATORY SUPPORT DEVICE TYPE FOR NATIONAL NEONATAL DATA SET  
RESPIRATORY SUPPORT MODE FOR NATIONAL NEONATAL DATA SET  
RESUSCITATION METHOD CODE

RETINOPATHY OF PREMATURE SCREENING OUTCOME STATUS CODE  
RETINOPATHY OF PREMATURE SCREENING PERFORMED INDICATOR  
RETINOPATHY OF PREMATURE SURGICAL PROCEDURE PERFORMED INDICATOR  
REVISION PROCEDURE TYPE FOR ANKLE REPLACEMENT  
REVISION PROCEDURE TYPE FOR ELBOW REPLACEMENT  
REVISION PROCEDURE TYPE FOR HIP REPLACEMENT  
REVISION PROCEDURE TYPE FOR KNEE REPLACEMENT  
REVISION PROCEDURE TYPE FOR SHOULDER REPLACEMENT  
ROTATOR CUFF CONDITION FOR SHOULDER REPLACEMENT  
ROTATOR CUFF REPAIRED INDICATOR FOR SHOULDER REPLACEMENT  
ROTATOR CUFF REPAIR TYPE FOR SHOULDER REPLACEMENT  
ROYAL COLLEGE OF RADIOLOGISTS PATIENT CATEGORY  
SENTINEL LYMPH NODE BIOPSY TYPE  
SIGNIFICANT MATERNAL PYREXIA IN LABOUR INDICATOR  
SPECIALIST RADIOTHERAPY TREATMENT TYPE  
STEROIDS ADMINISTERED DURING PREGNANCY TO MATURE FETAL LUNGS  
INDICATOR  
SURFACTANT ADMINISTERED INDICATOR  
SURGICAL ACCESS TYPE  
SURGICAL APPROACH FOR PRIMARY HIP REPLACEMENT  
SURGICAL APPROACH FOR PRIMARY KNEE REPLACEMENT  
SURGICAL APPROACH FOR PRIMARY OR REVISION ANKLE REPLACEMENT  
SURGICAL APPROACH FOR PRIMARY OR REVISION ELBOW REPLACEMENT  
SURGICAL APPROACH FOR PRIMARY OR REVISION SHOULDER REPLACEMENT  
SURGICAL APPROACH FOR REVISION HIP REPLACEMENT  
SURGICAL APPROACH FOR REVISION KNEE REPLACEMENT  
SURGICAL PALLIATION TYPE FOR UPPER GASTROINTESTINAL CANCER  
SURGICAL URGENCY TYPE FOR COLORECTAL CANCER  
~~SYSTEMIC ANTI CANCER THERAPY CURATIVE TREATMENT COMPLETED AS  
PLANNED INDICATOR~~  
SYSTEMIC ANTI CANCER THERAPY DRUG CYCLE DELAY INDICATOR  
~~SYSTEMIC ANTI CANCER THERAPY CURATIVE TREATMENT NOT COMPLETED  
OUTCOME REASON~~  
SYSTEMIC ANTI CANCER THERAPY DRUG CYCLE DELAY REASON  
~~SYSTEMIC ANTI CANCER THERAPY DRUG REGIMEN MODIFICATION INDICATOR FOR  
DOSE REDUCTION~~  
SYSTEMIC ANTI CANCER THERAPY DRUG CYCLE PATIENT CLINICAL FACTORS DELAY  
REASON  
SYSTEMIC ANTI CANCER THERAPY DRUG LINE OF TREATMENT  
SYSTEMIC ANTI CANCER THERAPY DRUG REGIMEN COMPLETION OR END REASON  
SYSTEMIC ANTI CANCER THERAPY DRUG REGIMEN GIVEN AS PART OF  
CHEMORADIATION INDICATOR  
SYSTEMIC ANTI CANCER THERAPY DRUG REGIMEN TREATMENT CONTEXT

SYSTEMIC ANTI CANCER THERAPY DRUG REGIMEN TREATMENT INTENT  
SYSTEMIC ANTI CANCER THERAPY DRUG ROUTE OF ADMINISTRATION  
SYSTEMIC ANTI CANCER THERAPY NON CURATIVE TREATMENT PATIENT BENEFIT INDICATOR  
TOTAL VOLUME OF MILK RECEIVED  
TREATMENT TYPE FOR HYPOGLYCAEMIA  
TREATMENT TYPE FOR NECROTISING ENTEROCOLITIS  
TREATMENT TYPE FOR NEONATAL ABSTINENCE SYNDROME  
TREATMENT TYPE FOR PATENT DUCTUS ARTERIOSUS  
TUBERCULOSIS TREATMENT INDICATOR FOR HIV  
UMBILICAL CORD CLAMPED IMMEDIATELY AFTER BIRTH INDICATOR  
UMBILICAL CORD MILKING PERFORMED INDICATOR  
UNITS OF BLOOD TRANSFUSED FOLLOWING OESOPHAGECTOMY  
UNTOWARD INTRAOPERATIVE EVENT CODE FOR ANKLE REPLACEMENT  
UNTOWARD INTRAOPERATIVE EVENT CODE FOR ELBOW REPLACEMENT  
UNTOWARD INTRAOPERATIVE EVENT CODE FOR HIP REPLACEMENT  
UNTOWARD INTRAOPERATIVE EVENT CODE FOR KNEE REPLACEMENT  
UNTOWARD INTRAOPERATIVE EVENT CODE FOR SHOULDER REPLACEMENT  
VENTRICULAR TAP PERFORMED INDICATOR  
VENTRICULOPERITONEAL SHUNT SURGERY PERFORMED INDICATOR  
VIRAL LOAD COUNT PERFORMED INDICATOR  
VISUAL INSPECTION CONFIRMED NECROTISING ENTEROCOLITIS DURING LAPAROTOMY INDICATOR  
VITAMIN K ADMINISTERED INDICATOR  
VITAMIN K ROUTE OF ADMINISTRATION

---

#### COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE

---

Change to Attribute: New Attribute

The [Common Terminology Criteria for Adverse Events \(CTCAE\)](#) toxicity grade.

For the [Systemic Anti-Cancer Therapy Data Set](#), [COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE](#) is the toxicity grade for the:

- [Systemic Anti-Cancer Therapy Drug Regimen](#) upfront dose modification
- Drugs omitted from the [Systemic Anti-Cancer Therapy Drug Cycle](#)
- [Systemic Anti-Cancer Therapy Drug Cycle](#) delay or
- Modification to the [Systemic Anti-Cancer Therapy](#) drug dose.

For further guidance on recording of the National Codes, see the User Guidance provided by the [National Disease Registration Service](#) at: [Downloads and guides](#).

*National Codes:*

- 1 Grade 1
- 2 Grade 2
- 3 Grade 3
- 4 Grade 4
- 5 Grade 5

This attribute is also known by these names:

Context	Alias
plural	COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADES

**COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE**

Change to Attribute: New Attribute

**COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE**

Data Elements:

COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE (SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DELAY)
COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE (SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DRUG OMISSION)
COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE (SYSTEMIC ANTI-CANCER THERAPY DRUG DOSE MODIFICATION)
COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE (SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN UPFRONT DOSE MODIFICATION)

**CO-MORBIDITY ADJUSTMENT INDICATOR (RETIRED)** renamed from CO-MORBIDITY ADJUSTMENT INDICATOR

Change to Attribute: Changed Name, status to Retired, Description

An indication of whether a **PATIENT**'s co-morbidity (overall physical state) was a significant factor in adjusting the **Anti-Cancer Drug Regimen**, type, dose or treatment interval. **This item has been retired from the NHS Data Model and Dictionary.**

**National Codes:** The last live version of this item is available in the ?????? release of the NHS Data Model and Dictionary.

- Y Yes – a **PATIENT**'s co-morbidity (overall physical state) was a significant factor
- N No – a **PATIENT**'s co-morbidity (overall physical state) was not a significant factor

Access to this version can be obtained by emailing [information.standards@nhs.net](mailto:information.standards@nhs.net) with "NHS Data Model and Dictionary - Archive Request" in the email subject line.

---

**CO-MORBIDITY ADJUSTMENT INDICATOR (RETIRED)\_ renamed from CO-MORBIDITY ADJUSTMENT INDICATOR**

---

Change to Attribute: Changed Name, status to Retired, Description

- Changed Name from Data\_Dictionary.Attributes.C.Com.CO-MORBIDITY\_ADJUSTMENT\_INDICATOR to Retired.Data\_Dictionary.Attributes.C.CO-MORBIDITY\_ADJUSTMENT\_INDICATOR
- Retired CO-MORBIDITY ADJUSTMENT INDICATOR
- Changed Description

---

**OTHER UNIT OF MEASUREMENT DESCRIPTION FOR SYSTEMIC ANTI-CANCER THERAPY**

---

Change to Attribute: Changed Description

A free text string to specify the [UNIT OF MEASUREMENT](#) used in a [Systemic Anti-Cancer Therapy Drug Administration](#) in a [Systemic Anti-Cancer Therapy Drug Cycle](#), where the [UNIT OF MEASUREMENT FOR SYSTEMIC ANTI-CANCER THERAPY](#) is National Code '*Other (not listed)*'.

For further guidance on recording of the National Codes, see the User Guidance provided by the [National Disease Registration Service](#) at: [Downloads and guides](#).

---

**PERFORMANCE STATUS FOR ADULTS**

---

Change to Attribute: Changed Description

~~A [World Health Organisation](#) classification indicating a [PERSON's](#) status relating to activity/[DISABILITY](#).~~  
[World Health Organisation](#) classification indicating a [PERSON's](#) status relating to activity and or [DISABILITY](#).

This scale is used for adult [PERSONS](#) over 16 years of age.

For further information, see the [National Institute for Health and Care Excellence](#) website at: [Appendix A. WHO performance status classification](#).

*National Codes:*

- 0 Able to carry out all normal activity without restriction
- 1 Restricted in strenuous activity but ambulatory and able to carry out light work
- 2 Ambulatory and capable of all self-care but unable to carry out any work activities; up and about more than 50% of waking hours
- 3 Symptomatic and in a chair or in bed for greater than 50% of the day but not bedridden
- 4 Completely disabled; cannot carry out any self-care; totally confined to bed or chair

**SYSTEMIC ANTI-CANCER THERAPY ACTUAL DOSE (RETIRED)\_renamed from SYSTEMIC ANTI-CANCER THERAPY ACTUAL DOSE**

---

Change to Attribute: Changed Name, status to Retired, Description

The actual [Systemic Anti-Cancer Therapy](#) dose given in each [Systemic Anti-Cancer Therapy Drug Administration](#) in a [Systemic Anti-Cancer Therapy Drug Cycle](#). **This item has been retired from the NHS Data Model and Dictionary.**

**The last live version of this item is available in the ?????? release of the NHS Data Model and Dictionary.**

**Access to this version can be obtained by emailing [information.standards@nhs.net](mailto:information.standards@nhs.net) with "NHS Data Model and Dictionary - Archive Request" in the email subject line.**

---

**SYSTEMIC ANTI-CANCER THERAPY ACTUAL DOSE (RETIRED)\_renamed from SYSTEMIC ANTI-CANCER THERAPY ACTUAL DOSE**

---

Change to Attribute: Changed Name, status to Retired, Description

- Changed Name from Data\_Dictionary.Attributes.S.Sup.SYSTEMIC\_ANTI-CANCER\_THERAPY\_ACTUAL\_DOSE to Retired.Data\_Dictionary.Attributes.S.SYSTEMIC\_ANTI-CANCER\_THERAPY\_ACTUAL\_DOSE
  - Retired SYSTEMIC ANTI-CANCER THERAPY ACTUAL DOSE
  - Changed Description
- 

**SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT COMPLETED AS PLANNED INDICATOR (RETIRED)renamed from SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT COMPLETED AS PLANNED INDICATOR**

---

Change to Attribute: Changed Name, status to Retired, Description

An indication of whether the [Systemic Anti-Cancer Therapy](#) curative treatment was completed as planned. **This item has been retired from the NHS Data Model and Dictionary.**

***National Codes:* The last live version of this item is available in the ?????? release of the NHS Data Model and Dictionary.**

- Y Yes the [Systemic Anti-Cancer Therapy](#) curative treatment was completed as planned
- N No the [Systemic Anti-Cancer Therapy](#) curative treatment was not completed as planned

**Access to this version can be obtained by emailing [information.standards@nhs.net](mailto:information.standards@nhs.net) with "NHS Data Model and Dictionary - Archive Request" in the email subject line.**

---

**SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT COMPLETED AS PLANNED INDICATOR (RETIRED)renamed from SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT COMPLETED AS PLANNED INDICATOR**

---

Change to Attribute: Changed Name, status to Retired, Description

- Changed Name from Data\_Dictionary.Attributes.S.Sup.SYSTEMIC\_ANTI-CANCER\_THERAPY\_CURATIVE\_TREATMENT\_COMPLETED\_AS\_PLANNED\_INDICATOR to Retired.Data\_Dictionary.Attributes.S.SYSTEMIC\_ANTI-CANCER\_THERAPY\_CURATIVE\_TREATMENT\_COMPLETED\_AS\_PLANNED\_INDICATOR
- Retired SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT COMPLETED AS PLANNED INDICATOR
- Changed Description

---

SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT NOT COMPLETED OUTCOME REASON (RETIRED)  
renamed from SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT NOT COMPLETED OUTCOME REASON

---

Change to Attribute: Changed Name, status to Retired, Description

The reason why the [Systemic Anti-Cancer Therapy](#) curative treatment was not completed. **This item has been retired from the NHS Data Model and Dictionary.**

~~SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT NOT COMPLETED OUTCOME REASON~~ is recorded where the ~~SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT COMPLETED AS PLANNED INDICATOR~~ is National Code 'No - the [Systemic Anti-Cancer Therapy](#) curative treatment was not completed as planned'. **The last live version of this item is available in the ?????? release of the NHS Data Model and Dictionary.**

*National Codes:* **Access to this version can be obtained by emailing [information.standards@nhs.net](mailto:information.standards@nhs.net) with "NHS Data Model and Dictionary - Archive Request" in the email subject line.**

- 1 Progressive/[Recurrent Cancer](#)
- 2 Toxicity
- 3 Death of [PATIENT](#)
- 4 [PATIENT](#) choice
- 5 Other (not listed)

---

SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT NOT COMPLETED OUTCOME REASON (RETIRED)  
renamed from SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT NOT COMPLETED OUTCOME REASON

---

Change to Attribute: Changed Name, status to Retired, Description

- Changed Name from Data\_Dictionary.Attributes.S.Sup.SYSTEMIC\_ANTI-CANCER\_THERAPY\_CURATIVE\_TREATMENT\_NOT\_COMPLETED\_OUTCOME\_REASON to Retired.Data\_Dictionary.Attributes.S.SYSTEMIC\_ANTI-CANCER\_THERAPY\_CURATIVE\_TREATMENT\_NOT\_COMPLETED\_OUTCOME\_REASON
- Retired SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT NOT COMPLETED OUTCOME REASON
- Changed Description

---

SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DELAY INDICATOR

---

Change to Attribute: New Attribute

An indication of whether the Systemic Anti-Cancer Therapy Drug Cycle has been delayed.

**National Codes:**

- Y Yes - the Systemic Anti-Cancer Therapy Drug Cycle has been delayed
- N No - the Systemic Anti-Cancer Therapy Drug Cycle has not been delayed

**This attribute is also known by these names:**

Context	Alias
plural	SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DELAY INDICATORS

---

**SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DELAY INDICATOR**

Change to Attribute: New Attribute

**SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DELAY INDICATOR**

**Data Elements:**

SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DELAY INDICATOR
---

---

**SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DELAY REASON**

Change to Attribute: New Attribute

The reason for the Systemic Anti-Cancer Therapy Drug Cycle delay.

For further guidance on recording of the National Codes, see the User Guidance provided by the National Disease Registration Service at: Downloads and guides.

**National Codes:**

- 1 PATIENT choice
- 2 ORGANISATION issues
- 3 PATIENT (Clinical) factors
- 4 Toxicity

**This attribute is also known by these names:**

Context	Alias
plural	SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DELAY REASONS

**SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DELAY REASON**

Change to Attribute: New Attribute

**SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DELAY REASON**

Data Elements:

SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DELAY REASON
--

**SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DRUG OMISSION INDICATOR**

Change to Attribute: New Attribute

An indication of whether any Systemic Anti-Cancer Therapy drugs were omitted from the Systemic Anti-Cancer Therapy Drug Cycle.

National Codes:

- Y Yes - Systemic Anti-Cancer Therapy drugs were omitted from the Systemic Anti-Cancer Therapy Drug Cycle
- N No - Systemic Anti-Cancer Therapy drugs were not omitted from the Systemic Anti-Cancer Therapy Drug Cycle

This attribute is also known by these names:

Context	Alias
plural	SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DRUG OMISSION INDICATORS

**SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DRUG OMISSION INDICATOR**

Change to Attribute: New Attribute

**SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DRUG OMISSION INDICATOR**

Data Elements:

SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DRUG OMISSION INDICATOR
---

**SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DRUG OMISSION REASON**

Change to Attribute: New Attribute

The reason why Systemic Anti-Cancer Therapy drugs were omitted from the Systemic Anti-Cancer Therapy Drug Cycle.

For further guidance on recording of the National Codes, see the User Guidance provided by the [National Disease Registration Service](#) at: [Downloads and guides](#).

**National Codes:**

- 1 PATIENT choice
- 2 ORGANISATION issues
- 3 PATIENT (Clinical) factors
- 4 Toxicity

**This attribute is also known by these names:**

Context	Alias
plural	SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DRUG OMISSION REASONS

---

SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DRUG OMISSION REASON

---

Change to Attribute: New Attribute

**SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DRUG OMISSION REASON**

**Data Elements:**

SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DRUG OMISSION REASON
--

---

SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE PATIENT CLINICAL FACTORS DELAY REASON

---

Change to Attribute: New Attribute

The PATIENT clinical factors which resulted in the Systemic Anti-Cancer Therapy Drug Cycle being delayed.

SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE PATIENT CLINICAL FACTORS DELAY REASON is recorded where the SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DELAY REASON National Code is 'PATIENT (Clinical) factors'.

**National Codes:**

- 1 Genomics, for example Dihydropyrimidine Dehydrogenase (DPD) enzyme variant
- 2 Frailty
- 3 Comorbidities
- 8 Other (not listed)

**This attribute is also known by these names:**

--

Context	Alias
plural	SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DELAY PATIENT CLINICAL FACTORS DELAY REASONS

---

**SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE PATIENT CLINICAL FACTORS DELAY REASON**

---

Change to Attribute: New Attribute

**SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE PATIENT CLINICAL FACTORS DELAY REASON**

**Data Elements:**

SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE PATIENT CLINICAL FACTORS DELAY REASON
---

---

**SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE PATIENT CLINICAL FACTORS DRUG OMISSION REASON**

---

Change to Attribute: New Attribute

The PATIENT clinical factors which resulted in Systemic Anti-Cancer Therapy drugs being omitted from the Systemic Anti-Cancer Therapy Drug Cycle.

SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE PATIENT CLINICAL FACTORS DRUG OMISSION REASON is recorded where the SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DRUG OMISSION REASON National Code is 'PATIENT (Clinical) factors'.

**National Codes:**

- 1 Genomics, for example Dihydropyrimidine Dehydrogenase (DPD) enzyme variant
- 2 Frailty
- 3 Comorbidities
- 8 Other (not listed)

**This attribute is also known by these names:**

Context	Alias
plural	SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE PATIENT CLINICAL FACTORS DRUG OMISSION MODIFICATION REASONS

---

**SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE PATIENT CLINICAL FACTORS DRUG OMISSION REASON**

---

Change to Attribute: New Attribute

**SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE PATIENT CLINICAL FACTORS DRUG OMISSION REASON**

**Data Elements:**

SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE PATIENT CLINICAL FACTORS DRUG OMISSION REASON

**SYSTEMIC ANTI-CANCER THERAPY DRUG DOSE MODIFICATION INDICATOR**

Change to Attribute: New Attribute

An indication of whether there was a modification to the Systemic Anti-Cancer Therapy drug dose.

Note: this is where the amount of medication has been increased or decreased.

**National Codes:**

- Y Yes - there was a modification to the Systemic Anti-Cancer Therapy drug
- N No - there was no modification to the Systemic Anti-Cancer Therapy drug

**This attribute is also known by these names:**

Context	Alias
plural	SYSTEMIC ANTI-CANCER THERAPY DRUG DOSE MODIFICATION INDICATORS

**SYSTEMIC ANTI-CANCER THERAPY DRUG DOSE MODIFICATION INDICATOR**

Change to Attribute: New Attribute

**SYSTEMIC ANTI-CANCER THERAPY DRUG DOSE MODIFICATION INDICATOR**

**Data Elements:**

SYSTEMIC ANTI-CANCER THERAPY DRUG DOSE MODIFICATION INDICATOR

**SYSTEMIC ANTI-CANCER THERAPY DRUG DOSE MODIFICATION REASON**

Change to Attribute: New Attribute

The reason for the modification to the Systemic Anti-Cancer Therapy drug dose.

For further guidance on recording of the National Codes, see the User Guidance provided by the National Disease Registration Service at: Downloads and guides.

**National Codes:**

- 1 PATIENT choice
- 2 ORGANISATION issues

- 3 PATIENT (Clinical) factors
- 4 Toxicity

This attribute is also known by these names:

Context	Alias
plural	SYSTEMIC ANTI-CANCER THERAPY DRUG DOSE MODIFICATION REASONS

**SYSTEMIC ANTI-CANCER THERAPY DRUG DOSE MODIFICATION REASON**

Change to Attribute: New Attribute

**SYSTEMIC ANTI-CANCER THERAPY DRUG DOSE MODIFICATION REASON**

Data Elements:

SYSTEMIC ANTI-CANCER THERAPY DRUG DOSE MODIFICATION REASON
--

**SYSTEMIC ANTI-CANCER THERAPY DRUG PATIENT CLINICAL FACTORS DOSE MODIFICATION REASON**

Change to Attribute: New Attribute

The PATIENT clinical factors which resulted in the modification to the Systemic Anti-Cancer Therapy drug dose.

SYSTEMIC ANTI-CANCER THERAPY DRUG PATIENT CLINICAL FACTORS DOSE MODIFICATION REASON is recorded where the SYSTEMIC ANTI-CANCER THERAPY DRUG DOSE MODIFICATION REASON National Code is 'PATIENT (Clinical) factors'.

National Codes:

- 1 Genomics, for example Dihydropyrimidine Dehydrogenase (DPD) enzyme variant
- 2 Frailty
- 3 Comorbidities
- 8 Other (not listed)

This attribute is also known by these names:

Context	Alias
plural	SYSTEMIC ANTI-CANCER THERAPY DRUG PATIENT CLINICAL FACTORS DOSE MODIFICATION REASONS

**SYSTEMIC ANTI-CANCER THERAPY DRUG PATIENT CLINICAL FACTORS DOSE MODIFICATION REASON**

Change to Attribute: New Attribute

## SYSTEMIC ANTI-CANCER THERAPY DRUG PATIENT CLINICAL FACTORS DOSE MODIFICATION REASON

### Data Elements:

SYSTEMIC ANTI-CANCER THERAPY DRUG PATIENT CLINICAL FACTORS DOSE MODIFICATION REASON

### SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN COMPLETION OR END REASON

Change to Attribute: New Attribute

The reason for completing or ending the [Systemic Anti-Cancer Therapy Drug Regimen](#).

For further guidance on recording of the National Codes, see the User Guidance provided by the [National Disease Registration Service](#) at: [Downloads and guides](#).

### National Codes:

- 1 Completed pre-determined number of [Systemic Anti-Cancer Therapy Drug Cycles](#)
- 2 Disease Progression
- 3 Toxicity
- 4 [PATIENT](#) choice to stop treatment
- 5 [ORGANISATION](#) issues / reason
- 6 Minimal Residual Disease (MRD) negativity
- 7 Death of [PATIENT](#)
- 8 Other (not listed)

### This attribute is also known by these names:

Context	Alias
plural	SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN COMPLETION OR END REASONS

### SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN COMPLETION OR END REASON

Change to Attribute: New Attribute

## SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN COMPLETION OR END REASON

### Data Elements:

SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN COMPLETION OR END REASON

### SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN GIVEN AS PART OF CHEMORADIATION INDICATOR

Change to Attribute: New Attribute

An indication of whether the Systemic Anti-Cancer Therapy Drug Regimen was given as part of Chemoradiation.

**National Codes:**

- Y Yes - the Systemic Anti-Cancer Therapy Drug Regimen was given as part of Chemoradiation
- N No - the Systemic Anti-Cancer Therapy Drug Regimen was not given as part of Chemoradiation

**This attribute is also known by these names:**

Context	Alias
plural	SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN GIVEN AS PART OF CHEMORADIATION INDICATORS

---

SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN GIVEN AS PART OF CHEMORADIATION INDICATOR

---

Change to Attribute: New Attribute

## SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN GIVEN AS PART OF CHEMORADIATION INDICATOR

**Data Elements:**

SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN GIVEN AS PART OF CHEMORADIATION INDICATOR
---

---

SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN LINE OF TREATMENT

---

Change to Attribute: New Attribute

The Systemic Anti-Cancer Therapy Drug Regimen line of treatment.

Note: a line of treatment is the approach to treating cancer at different times.

This could be:

- Curative Line of Treatment: therapy aimed at elimination of cancer and preventing its recurrence
- Non-Curative Line of Treatment: therapy aimed at maintaining or improving the quality and/or the quantity of life (i.e., inducing “remission”) but without the expectation of a cure.

**This attribute is also known by these names:**

Context	Alias
---------	-------

plural

SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN LINES OF TREATMENT

---

SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN LINE OF TREATMENT

---

Change to Attribute: New Attribute

**SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN LINE OF TREATMENT**

**Data Elements:**

SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN LINE OF CURATIVE TREATMENT

SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN LINE OF NON-CURATIVE TREATMENT

---

SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN MODIFICATION INDICATOR FOR DOSE REDUCTION (RETIRED)  
renamed from SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN MODIFICATION INDICATOR FOR DOSE REDUCTION

---

Change to Attribute: Changed Name, status to Retired, Description

An indication of whether the [Systemic Anti Cancer Therapy Drug Regimen](#) was modified by reducing the dose of the [Systemic Anti Cancer Therapy](#) drug administered, at any point after commencement of the [Systemic Anti Cancer Therapy Drug Regimen](#). **This item has been retired from the NHS Data Model and Dictionary.**

**National Codes:** **The last live version of this item is available in the ?????? release of the NHS Data Model and Dictionary.**

- Y Yes – the [Systemic Anti Cancer Therapy Drug Regimen](#) was modified by reducing the dose of the [Systemic Anti Cancer Therapy](#) drug administered
- N No – the [Systemic Anti Cancer Therapy Drug Regimen](#) was not modified by reducing the dose of the [Systemic Anti Cancer Therapy](#) drug administered

**Access to this version can be obtained by emailing [information.standards@nhs.net](mailto:information.standards@nhs.net) with "NHS Data Model and Dictionary - Archive Request" in the email subject line.**

---

SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN MODIFICATION INDICATOR FOR DOSE REDUCTION (RETIRED)  
renamed from SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN MODIFICATION INDICATOR FOR DOSE REDUCTION

---

Change to Attribute: Changed Name, status to Retired, Description

- Changed Name from Data\_Dictionary.Attributes.S.Sup.SYSTEMIC\_ANTI-CANCER\_THERAPY\_DRUG\_REGIMEN\_MODIFICATION\_INDICATOR\_FOR\_DOSE\_REDUCTION to Retired.Data\_Dictionary.Attributes.S.SYSTEMIC\_ANTI-CANCER\_THERAPY\_DRUG\_REGIMEN\_MODIFICATION\_INDICATOR\_FOR\_DOSE\_REDUCTION

- Retired SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN MODIFICATION INDICATOR FOR DOSE REDUCTION
- Changed Description

**SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN PATIENT CLINICAL FACTORS UPFRONT DOSE MODIFICATION REASON**

Change to Attribute: New Attribute

The **PATIENT** clinical factors which resulted in the **Systemic Anti-Cancer Therapy Drug Regimen** upfront dose modification.

**SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN PATIENT CLINICAL FACTORS UPFRONT DOSE MODIFICATION REASON** is recorded where the **SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN UPFRONT DOSE MODIFICATION REASON** is National Code is '*PATIENT (Clinical) factors*'.

**National Codes:**

- 1 Genomics, for example Dihydropyrimidine Dehydrogenase (DPD) enzyme variant
- 2 Frailty
- 3 Comorbidities
- 8 Other (not listed)

**This attribute is also known by these names:**

Context	Alias
plural	SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN PATIENT CLINICAL FACTORS UPFRONT DOSE MODIFICATION REASONS

**SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN PATIENT CLINICAL FACTORS UPFRONT DOSE MODIFICATION REASON**

Change to Attribute: New Attribute

**SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN PATIENT CLINICAL FACTORS UPFRONT DOSE MODIFICATION REASON**

**Data Elements:**

SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN PATIENT CLINICAL FACTORS UPFRONT DOSE MODIFICATION REASON
---

**SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN TREATMENT CONTEXT**

Change to Attribute: New Attribute

The **Systemic Anti-Cancer Therapy Drug Regimen** treatment context.

Note: treatment context is the context in which the [Systemic Anti-Cancer Therapy](#) is prescribed, in relation to other treatments the [PATIENT](#) is receiving or may receive.

For further guidance on recording of the National Codes, see the User Guidance provided by the [National Disease Registration Service](#) at: [Downloads and guides](#).

**National Codes:**

- 01 [Neoadjuvant Therapy](#)
- 02 [Adjunctive Therapy](#)
- 03 [Systemic Anti-Cancer Therapy](#) treatment only (has no other element)
- 04 [Children, Teenagers and Young Adults treatment only \(Neoadjuvant Therapy and Adjunctive Therapy\)](#)

**This attribute is also known by these names:**

Context	Alias
plural	SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN TREATMENT CONTEXTS

---

**SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN TREATMENT CONTEXT**

---

Change to Attribute: New Attribute

**SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN TREATMENT CONTEXT**

**Data Elements:**

SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN TREATMENT CONTEXT
---

---

**SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN TREATMENT INTENT**

---

Change to Attribute: Changed Description

The intent of the [Systemic Anti-Cancer Therapy Drug Regimen](#).

**National Codes:**

- A Adjuvant (Retired 1 September 2019 )
- N Neoadjuvant (Retired 1 September 2019 )
- C Curative (Retired 1 September 2019 )
- P Palliative (Retired 1 September 2019 )
- D Disease Modification (Retired 1 September 2019 )
- 01 ~~Curative – aiming to permanently eradicate disease~~
- 02 ~~Palliative – aiming to extend life expectancy~~
- 03 ~~Palliative – aiming to relieve and/or control malignancy related symptoms~~

- 04 ~~Palliative - aiming to achieve remission~~
- 05 ~~Palliative - aiming to delay tumour progression~~
- 98 Other (not listed)
- 01 Curative - aiming to permanently eradicate disease (Retired 1 April 2026)
- 02 Palliative - aiming to extend life expectancy (Retired 1 April 2026)
- 03 Palliative - aiming to relieve and/or control malignancy related symptoms (Retired 1 April 2026)
- 04 Palliative - aiming to achieve remission (Retired 1 April 2026)
- 05 Palliative - aiming to delay tumour progression (Retired 1 April 2026)
- 98 Other (not listed) (Retired 1 April 2026)
- 06 Curative
- 07 Non-Curative

**SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN UPFRONT DOSE MODIFICATION INDICATOR**

Change to Attribute: New Attribute

An indication of whether there was an upfront dose modification within a Systemic Anti-Cancer Therapy Drug Regimen.

Note: an upfront dose modification is where the dose is changed for the Systemic Anti-Cancer Therapy Drug Regimen, for example, the dose per day is modified.

**National Codes:**

- Y Yes - there was an upfront dose modification within a Systemic Anti-Cancer Therapy Drug Regimen
- N No - there was no upfront dose modification within a Systemic Anti-Cancer Therapy Drug Regimen

**This attribute is also known by these names:**

Context	Alias
plural	SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN UPFRONT DOSE MODIFICATION INDICATORS

**SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN UPFRONT DOSE MODIFICATION INDICATOR**

Change to Attribute: New Attribute

**SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN UPFRONT DOSE MODIFICATION INDICATOR**

**Data Elements:**

--

## SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN UPFRONT DOSE MODIFICATION INDICATOR

### SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN UPFRONT DOSE MODIFICATION REASON

Change to Attribute: New Attribute

The reason for the [Systemic Anti-Cancer Therapy Drug Regimen](#) upfront dose modification.

For further guidance on recording of the National Codes, see the User Guidance provided by the [National Disease Registration Service](#) at: [Downloads and guides](#).

*National Codes:*

- 1 [PATIENT](#) choice
- 2 [ORGANISATION](#) issues
- 3 [PATIENT](#) (Clinical) factors
- 4 Toxicity

**This attribute is also known by these names:**

Context	Alias
plural	SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN UPFRONT DOSE MODIFICATION REASONS

### SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN UPFRONT DOSE MODIFICATION REASON

Change to Attribute: New Attribute

## SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN UPFRONT DOSE MODIFICATION REASON

**Data Elements:**

SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN UPFRONT DOSE MODIFICATION REASON

SYSTEMIC ANTI-CANCER THERAPY NON CURATIVE TREATMENT PATIENT BENEFIT INDICATOR (RETIRED) renamed from SYSTEMIC ANTI-CANCER THERAPY NON CURATIVE TREATMENT PATIENT BENEFIT INDICATOR

Change to Attribute: Changed Name, status to Retired, Description

An indication of whether the [PATIENT](#) benefited from the [Systemic Anti-Cancer Therapy](#) non-curative treatment. **This item has been retired from the NHS Data Model and Dictionary.**

Note: [Systemic Anti-Cancer Therapy](#) non-curative treatment is for prolonging life and reducing symptoms. It is often given to [PATIENTS](#) with advanced cancer to make [PATIENTS](#) more comfortable towards the

end of life. The last live version of this item is available in the ?????? release of the NHS Data Model and Dictionary.

National Codes: Access to this version can be obtained by emailing [information.standards@nhs.net](mailto:information.standards@nhs.net) with "NHS Data Model and Dictionary - Archive Request" in the email subject line.

- Y Yes – the PATIENT benefited from the Systemic Anti-Cancer Therapy non-curative treatment
- N No – the PATIENT did not benefit from the Systemic Anti-Cancer Therapy non-curative treatment

**SYSTEMIC ANTI-CANCER THERAPY NON CURATIVE TREATMENT PATIENT BENEFIT INDICATOR (RETIRED)** renamed from **SYSTEMIC ANTI-CANCER THERAPY NON CURATIVE TREATMENT PATIENT BENEFIT INDICATOR**

Change to Attribute: Changed Name, status to Retired, Description

- Changed Name from Data\_Dictionary.Attributes.S.Sup.SYSTEMIC\_ANTI-CANCER\_THERAPY\_NON\_CURATIVE\_TREATMENT\_PATIENT\_BENEFIT\_INDICATOR to Retired.Data\_Dictionary.Attributes.S.SYSTEMIC\_ANTI-CANCER\_THERAPY\_NON\_CURATIVE\_TREATMENT\_PATIENT\_BENEFIT\_INDICATOR
- Retired SYSTEMIC ANTI-CANCER THERAPY NON CURATIVE TREATMENT PATIENT BENEFIT INDICATOR
- Changed Description

**SYSTEMIC ANTI-CANCER THERAPY TOTAL DAILY DOSE**

Change to Attribute: New Attribute

The total daily Systemic Anti-Cancer Therapy dose given to a PATIENT in a Systemic Anti-Cancer Therapy Drug Administration during a Systemic Anti-Cancer Therapy Drug Cycle.

This attribute is also known by these names:

Context	Alias
plural	SYSTEMIC ANTI-CANCER THERAPY TOTAL DAILY DOSES

**SYSTEMIC ANTI-CANCER THERAPY TOTAL DAILY DOSE**

Change to Attribute: New Attribute

**SYSTEMIC ANTI-CANCER THERAPY TOTAL DAILY DOSE**

Data Elements:

SYSTEMIC ANTI-CANCER THERAPY TOTAL DAILY DOSE
---

**SYSTEMIC ANTI-CANCER THERAPY TOXICITY MODIFICATION INDICATOR (RETIRED)\_ renamed from SYSTEMIC ANTI-CANCER THERAPY TOXICITY MODIFICATION INDICATOR**

---

Change to Attribute: Changed Name, status to Retired, Description

An indication of whether toxicity was a deciding factor in modifying the [Systemic Anti-Cancer Therapy Drug Regimen](#). **This item has been retired from the NHS Data Model and Dictionary.**

**National Codes:** **The last live version of this item is available in the ?????? release of the NHS Data Model and Dictionary.**

- Y Yes – toxicity was a deciding factor in modifying the [Systemic Anti-Cancer Therapy Drug Regimen](#)
- N No – toxicity was not a deciding factor in modifying the [Systemic Anti-Cancer Therapy Drug Regimen](#)

**Access to this version can be obtained by emailing [information.standards@nhs.net](mailto:information.standards@nhs.net) with "NHS Data Model and Dictionary - Archive Request" in the email subject line.**

---

**SYSTEMIC ANTI-CANCER THERAPY TOXICITY MODIFICATION INDICATOR (RETIRED)\_ renamed from SYSTEMIC ANTI-CANCER THERAPY TOXICITY MODIFICATION INDICATOR**

---

Change to Attribute: Changed Name, status to Retired, Description

- Changed Name from Data\_Dictionary.Attributes.S.Sup.SYSTEMIC\_ANTI-CANCER\_THERAPY\_TOXICITY\_MODIFICATION\_INDICATOR to Retired.Data\_Dictionary.Attributes.S.SYSTEMIC\_ANTI-CANCER\_THERAPY\_TOXICITY\_MODIFICATION\_INDICATOR
- Retired SYSTEMIC ANTI-CANCER THERAPY TOXICITY MODIFICATION INDICATOR
- Changed Description

---

**UNIT OF MEASUREMENT FOR SYSTEMIC ANTI-CANCER THERAPY**

---

Change to Attribute: Changed Description

The [UNIT OF MEASUREMENT](#) used for each [Systemic Anti-Cancer Therapy Drug Administration](#) in a [Systemic Anti-Cancer Therapy Drug Cycle](#).

**For further guidance on recording of the National Codes, see the User Guidance provided by the [National Disease Registration Service](#) at: [Downloads and guides](#).**

*National Codes:*

- 01 Milligrams (mg)
- 02 Micrograms (Mcg)
- 03 Grams (g)
- 04 Units

- 05 Cells
- 06 Plaque Forming Units (PFU) (one million) (x10^6)
- 07 Plaque Forming Units (PFU) (one hundred million) (x10^8)
- 98 Other (not listed)

**CODED PROCEDURE TIMESTAMP (INFUSION ADMINISTRATION)**

Change to Data Element: New Data Element

Format/Length:	max an25
National Codes:	
Default Codes:	

**Notes:**

CODED PROCEDURE TIMESTAMP (INFUSION ADMINISTRATION) is the same as attribute ACTIVITY DATE and ACTIVITY TIME for the 'Procedure Date' and 'Procedure Time'.

CODED PROCEDURE TIMESTAMP (INFUSION ADMINISTRATION) is the date, time and time zone that the Patient Procedure to administer an infusion was performed by a CARE PROFESSIONAL.

A Timestamp is represented with the components of date, time and either the number of hours offset (plus or minus) from Greenwich Mean Time, or the letter Z to signify that it is the same as Greenwich Mean Time.

In most cases offset time is restricted to:

- +01:00
- +00:00
- -00:00

Examples of valid formats are:

- 2020-08-21T10:15:20+01:00 British Summer Time (GMT + 1 Hour)
- 2022-12-01T10:15:20+00:00 Greenwich Mean Time
- 2022-12-01T10:15:20-00:00 Greenwich Mean Time
- 2022-12-01T09:18:00Z Greenwich Mean Time.

**This data element is also known by these names:**

Context	Alias
plural	CODED PROCEDURE TIMESTAMPS (INFUSION ADMINISTRATION)

**CODED PROCEDURE TIMESTAMP (INFUSION ADMINISTRATION)**

Change to Data Element: New Data Element

## CODED PROCEDURE TIMESTAMP (INFUSION ADMINISTRATION)

Attribute:

ACTIVITY DATE

ACTIVITY TIME

COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE (SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DELAY)

Change to Data Element: New Data Element

Format/Length: an1

National Codes: See COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE

Default Codes:

### Notes:

COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE (SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DELAY) is the same as attribute COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE.

COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE (SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DELAY) is the same as attribute COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE for the Systemic Anti-Cancer Therapy Drug Cycle delay.

COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE (SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DELAY) is recorded where the SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DELAY REASON National Code is 'Toxicity'.

### This data element is also known by these names:

Context	Alias
plural	COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADES (SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DELAY)

COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE (SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DELAY)

Change to Data Element: New Data Element

## COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE (SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DELAY)

Attribute:

COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE

---

**COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE (SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DRUG OMISSION)**

---

Change to Data Element: New Data Element

Format/Length:	an1
National Codes:	See <u>COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE</u>
Default Codes:	

**Notes:**

COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE (SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DRUG OMISSION) is the same as attribute COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE.

COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE (SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DRUG OMISSION) is the same as attribute COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE for the drugs omitted from the Systemic Anti-Cancer Therapy Drug Cycle.

COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE (SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DRUG OMISSION) is recorded where the SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DRUG OMISSION REASON National Code is 'Toxicity'.

**This data element is also known by these names:**

Context	Alias
plural	<u>COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADES (SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DRUG OMISSION)</u>

---

**COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE (SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DRUG OMISSION)**

---

Change to Data Element: New Data Element

**COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE (SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DRUG OMISSION)**

**Attribute:**

<u>COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE</u>
--

**COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE (SYSTEMIC ANTI-CANCER THERAPY DRUG DOSE MODIFICATION)**

Change to Data Element: New Data Element

Format/Length:	an1
National Codes:	See <u>COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE</u>
Default Codes:	

**Notes:**

COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE (SYSTEMIC ANTI-CANCER THERAPY DRUG DOSE MODIFICATION) is the same as attribute COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE.

COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE (SYSTEMIC ANTI-CANCER THERAPY DRUG DOSE MODIFICATION) is the same as attribute COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE for the modification to the Systemic Anti-Cancer Therapy drug.

COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE (SYSTEMIC ANTI-CANCER THERAPY DRUG DOSE MODIFICATION) is recorded where the SYSTEMIC ANTI-CANCER THERAPY DRUG DOSE MODIFICATION REASON National Code is '*Toxicity*'.

**This data element is also known by these names:**

Context	Alias
plural	<u>COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADES (SYSTEMIC ANTI-CANCER THERAPY DRUG DOSE MODIFICATION)</u>

**COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE (SYSTEMIC ANTI-CANCER THERAPY DRUG DOSE MODIFICATION)**

Change to Data Element: New Data Element

**COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE (SYSTEMIC ANTI-CANCER THERAPY DRUG DOSE MODIFICATION)**

**Attribute:**

<u>COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE</u>
--

**COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE (SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN UPFRONT DOSE MODIFICATION)**

Change to Data Element: New Data Element

Format/Length:	an1
National Codes:	See <a href="#">COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE</a>
Default Codes:	

**Notes:**

[COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE \(SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN UPFRONT DOSE MODIFICATION\)](#) is the same as attribute [COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE](#).

[COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE \(SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN UPFRONT DOSE MODIFICATION\)](#) is the same as attribute [COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE](#) for the [Systemic Anti-Cancer Therapy Drug Regimen](#) upfront dose modification.

[COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE \(SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN UPFRONT DOSE MODIFICATION\)](#) is recorded where the [SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN UPFRONT DOSE MODIFICATION REASON](#) National Code is '*Toxicity*'.

**This data element is also known by these names:**

Context	Alias
plural	<a href="#">COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADES (SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN UPFRONT DOSE MODIFICATION)</a>

[COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE \(SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN UPFRONT DOSE MODIFICATION\)](#)

Change to Data Element: New Data Element

**[COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE \(SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN UPFRONT DOSE MODIFICATION\)](#)**

**Attribute:**

<a href="#">COMMON TERMINOLOGY CRITERIA FOR ADVERSE EVENTS TOXICITY GRADE</a>
---

[CO-MORBIDITY ADJUSTMENT INDICATOR \(RETIRED\)](#) renamed from [CO-MORBIDITY ADJUSTMENT INDICATOR](#)

Change to Data Element: Changed linked Attribute, Name, status to Retired, Description

Format/Length:	an1
National Codes:	See <a href="#">CO-MORBIDITY ADJUSTMENT INDICATOR</a>
Default Codes:	

**Notes:**

~~CO-MORBIDITY ADJUSTMENT INDICATOR~~ is the same as attribute ~~CO-MORBIDITY ADJUSTMENT INDICATOR~~. This item has been retired from the NHS Data Model and Dictionary.

The last live version of this item is available in the ?????? release of the NHS Data Model and Dictionary.

Access to this version can be obtained by emailing [information.standards@nhs.net](mailto:information.standards@nhs.net) with "NHS Data Model and Dictionary - Archive Request" in the email subject line.

---

CO-MORBIDITY ADJUSTMENT INDICATOR (RETIRED)\_ renamed from CO-MORBIDITY ADJUSTMENT INDICATOR

---

Change to Data Element: Changed linked Attribute, Name, status to Retired, Description

**CO-MORBIDITY ADJUSTMENT INDICATOR**

**Attribute:**

[CO-MORBIDITY ADJUSTMENT INDICATOR](#)

---

CO-MORBIDITY ADJUSTMENT INDICATOR (RETIRED)\_ renamed from CO-MORBIDITY ADJUSTMENT INDICATOR

---

Change to Data Element: Changed linked Attribute, Name, status to Retired, Description

- null
  - Changed Name from Data\_Dictionary.Data\_Field\_Notes.C.Co.CO-MORBIDITY\_ADJUSTMENT\_INDICATOR to Retired.Data\_Dictionary.Data\_Field\_Notes.C.CO-MORBIDITY\_ADJUSTMENT\_INDICATOR
  - Retired CO-MORBIDITY ADJUSTMENT INDICATOR
  - Changed Description
- 

CONSULTANT CODE (INITIATED SYSTEMIC ANTI-CANCER THERAPY) (RETIRED)\_ renamed from CONSULTANT CODE (INITIATED SYSTEMIC ANTI-CANCER THERAPY)

---

Change to Data Element: Changed linked Attribute, Name, status to Retired, Description

Format/Length:	an8
National Codes:	
Default Codes:	

---

**Notes:**

~~CONSULTANT CODE (INITIATED SYSTEMIC ANTI-CANCER THERAPY)~~ is the same as attribute ~~CONSULTANT CODE~~.

~~CONSULTANT CODE (INITIATED SYSTEMIC ANTI-CANCER THERAPY)~~ is the ~~CONSULTANT CODE~~ of the ~~CONSULTANT~~ who initiated the ~~Systemic Anti Cancer Therapy~~. **This item has been retired from the NHS Data Model and Dictionary.**

~~CONSULTANT CODE (INITIATED SYSTEMIC ANTI-CANCER THERAPY)~~ will be replaced with both ~~PROFESSIONAL REGISTRATION ISSUER CODE~~ and ~~PROFESSIONAL REGISTRATION ENTRY IDENTIFIER~~, which are the most recently approved national information standards to describe the required definition. The last live version of this item is available in the ?????? release of the NHS Data Model and Dictionary.

**Access to this version can be obtained by emailing [information\\_standards@nhs.net](mailto:information_standards@nhs.net) with "NHS Data Model and Dictionary - Archive Request" in the email subject line.**

---

**CONSULTANT CODE (INITIATED SYSTEMIC ANTI-CANCER THERAPY) (RETIRED)**\_renamed from **CONSULTANT CODE (INITIATED SYSTEMIC ANTI-CANCER THERAPY)**

---

Change to Data Element: Changed linked Attribute, Name, status to Retired, Description

### **CONSULTANT CODE (INITIATED SYSTEMIC ANTI-CANCER THERAPY)**

**Attribute:**

<a href="#">CONSULTANT CODE</a>
---------------------------------

---

**CONSULTANT CODE (INITIATED SYSTEMIC ANTI-CANCER THERAPY) (RETIRED)**\_renamed from **CONSULTANT CODE (INITIATED SYSTEMIC ANTI-CANCER THERAPY)**

---

Change to Data Element: Changed linked Attribute, Name, status to Retired, Description

- null
- Changed Name from Data\_Dictionary.Data\_Field\_Notes.C.Cons.CONCONSULTANT\_CODE\_(INITIATED\_SYSTEMIC\_ANTI-CANCER\_THERAPY) to Retired.Data\_Dictionary.Data\_Field\_Notes.C.CONCONSULTANT\_CODE\_(INITIATED\_SYSTEMIC\_ANTI-CANCER\_THERAPY)
- Retired CONSULTANT CODE (INITIATED SYSTEMIC ANTI-CANCER THERAPY)
- Changed Description

---

**NUMBER OF SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLES ADMINISTERED**

---

Change to Data Element: New Data Element

Format/Length:	max n2
National Codes:	
Default Codes:	

**Notes:**

**NUMBER OF SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLES ADMINISTERED** is the same as attribute **PRESCRIBED ITEM DOSE QUANTITY VALUE**.

NUMBER OF SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLES ADMINISTERED is the number of Systemic Anti-Cancer Therapy Drug Cycles administered on a day for the Systemic Anti-Cancer Therapy drug administered.

The value is in the range 1-20.

---

**NUMBER OF SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLES ADMINISTERED**

---

Change to Data Element: New Data Element

**NUMBER OF SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLES ADMINISTERED**

Attribute:

PRESCRIBED ITEM DOSE QUANTITY VALUE

---

**OTHER SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT NOT COMPLETED OUTCOME REASON (RETIRED)** renamed from OTHER SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT NOT COMPLETED OUTCOME REASON

---

Change to Data Element: Changed linked Attribute, Name, status to Retired, Description

Format/Length:	max-an55
National Codes:	
Default Codes:	

**Notes:**

~~OTHER SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT NOT COMPLETED OUTCOME REASON~~ is the same as attribute ~~CLINICAL INTERVENTION TEXT STRING~~.

~~OTHER SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT NOT COMPLETED OUTCOME REASON~~ is free text to specify the reason why the ~~Systemic Anti-Cancer Therapy~~ curative treatment was not completed, where the ~~SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT NOT COMPLETED OUTCOME REASON~~ is National Code '~~Other (not listed)~~'. **This item has been retired from the NHS Data Model and Dictionary.**

**The last live version of this item is available in the ?????? release of the NHS Data Model and Dictionary.**

**Access to this version can be obtained by emailing [information.standards@nhs.net](mailto:information.standards@nhs.net) with "NHS Data Model and Dictionary - Archive Request" in the email subject line.**

**OTHER SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT NOT COMPLETED OUTCOME REASON (RETIRED)\_ renamed from OTHER SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT NOT COMPLETED OUTCOME REASON**

Change to Data Element: Changed linked Attribute, Name, status to Retired, Description

**OTHER SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT NOT COMPLETED OUTCOME REASON**

**Attribute:**

[CLINICAL INTERVENTION TEXT STRING](#)

**OTHER SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT NOT COMPLETED OUTCOME REASON (RETIRED)\_ renamed from OTHER SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT NOT COMPLETED OUTCOME REASON**

Change to Data Element: Changed linked Attribute, Name, status to Retired, Description

- null
- Changed Name from Data\_Dictionary.Data\_Field\_Notes.O.Ori.OTHER\_SYSTEMIC\_ANTI-CANCER\_THERAPY\_CURATIVE\_TREATMENT\_NOT\_COMPLETED\_OUTCOME\_REASON to Retired.Data\_Dictionary.Data\_Field\_Notes.O.OTHER\_SYSTEMIC\_ANTI-CANCER\_THERAPY\_CURATIVE\_TREATMENT\_NOT\_COMPLETED\_OUTCOME\_REASON
- Retired OTHER SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT NOT COMPLETED OUTCOME REASON
- Changed Description

**PERFORMANCE STATUS (ADULT START OF SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE)**

Change to Data Element: Changed Description

Format/Length: an1  
National Codes: See [PERFORMANCE STATUS FOR ADULTS](#)  
Default Codes:

**Notes:**

[PERFORMANCE STATUS \(ADULT START OF SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE\)](#) is the same as attribute [PERFORMANCE STATUS FOR ADULTS](#) recorded at the start of a [Systemic Anti-Cancer Therapy Drug Cycle](#). [PERFORMANCE STATUS \(ADULT START OF SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE\)](#) is the same as attribute [PERFORMANCE STATUS FOR ADULTS](#). [PERFORMANCE STATUS \(ADULT START OF SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE\)](#) is the World Health Organisation classification indicating a PERSON's status relating to activity and or [DISABILITY](#) recorded at the start of a [Systemic Anti-Cancer Therapy Drug Cycle](#).

**PERFORMANCE STATUS (ADULT START OF SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE)**

Change to Data Element: Changed Description

- Changed Description

---

**PERFORMANCE STATUS (ADULT START OF SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN)**

---

Change to Data Element: Changed Description

Format/Length:	an1
National Codes:	See <a href="#">PERFORMANCE STATUS FOR ADULTS</a>
Default Codes:	

**Notes:**

~~[PERFORMANCE STATUS \(ADULT START OF SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN\)](#) is the same as attribute [PERFORMANCE STATUS FOR ADULTS](#) recorded at the start of a [Systemic Anti-Cancer Therapy Drug Regimen](#).~~ [PERFORMANCE STATUS \(ADULT START OF SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN\)](#) is the same as attribute [PERFORMANCE STATUS FOR ADULTS](#). [PERFORMANCE STATUS \(ADULT START OF SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN\)](#) is the [World Health Organisation](#) classification indicating a [PERSON](#)'s status relating to activity and or [DISABILITY](#) recorded at the start of a [Systemic Anti-Cancer Therapy Drug Regimen](#).

---

**PERFORMANCE STATUS (ADULT START OF SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN)**

---

Change to Data Element: Changed Description

- Changed Description

---

**PRIMARY DIAGNOSIS (ICD-10 AT START SYSTEMIC ANTI-CANCER THERAPY)\_** renamed from **PRIMARY DIAGNOSIS (ICD AT START SYSTEMIC ANTI-CANCER THERAPY)**

---

Change to Data Element: Changed Name, Description

Format/Length:	See <a href="#">ICD-10 CODE</a>
National Codes:	
Default Codes:	

**Notes:**

~~[PRIMARY DIAGNOSIS \(ICD AT START SYSTEMIC ANTI-CANCER THERAPY\)](#) is the same as attribute [CLINICAL CLASSIFICATION CODE](#).~~ [PRIMARY DIAGNOSIS \(ICD-10 AT START SYSTEMIC ANTI-CANCER THERAPY\)](#) is the same as attribute [CLINICAL CLASSIFICATION CODE](#).

~~[PRIMARY DIAGNOSIS \(ICD AT START SYSTEMIC ANTI-CANCER THERAPY\)](#) is the [PRIMARY DIAGNOSIS \(ICD\)](#) at the start of the [Systemic Anti-Cancer Therapy](#).~~ [PRIMARY DIAGNOSIS \(ICD-10 AT START SYSTEMIC ANTI-CANCER THERAPY\)](#) is the [ICD-10 CODE](#) for the [PRIMARY DIAGNOSIS \(ICD\)](#) at the start of the [Systemic Anti-Cancer Therapy](#).

---

**PRIMARY DIAGNOSIS (ICD-10 AT START SYSTEMIC ANTI-CANCER THERAPY)\_ renamed from PRIMARY DIAGNOSIS (ICD AT START SYSTEMIC ANTI-CANCER THERAPY)**

---

Change to Data Element: Changed Name, Description

- Changed Name from Data\_Dictionary.Data\_Field\_Notes.P.Pri.PRIMARY\_DIAGNOSIS\_(ICD\_AT\_START\_SYSTEMIC\_ANTI-CANCER\_THERAPY) to Data\_Dictionary.Data\_Field\_Notes.P.Pri.PRIMARY\_DIAGNOSIS\_(ICD-10\_AT\_START\_SYSTEMIC\_ANTI-CANCER\_THERAPY)
- Changed Description

---

**PROFESSIONAL REGISTRATION ENTRY IDENTIFIER (INITIATED SYSTEMIC ANTI-CANCER THERAPY)**

---

Change to Data Element: New Data Element

Format/Length:	min an1 max an32
National Codes:	
Default Codes:	

**Notes:**

**PROFESSIONAL REGISTRATION ENTRY IDENTIFIER (INITIATED SYSTEMIC ANTI-CANCER THERAPY)** is the same as attribute **PROFESSIONAL REGISTRATION ENTRY IDENTIFIER**.

**PROFESSIONAL REGISTRATION ENTRY IDENTIFIER (INITIATED SYSTEMIC ANTI-CANCER THERAPY)** is the identifier issued by a **PROFESSIONAL REGISTRATION BODY** for the **CARE PROFESSIONAL** responsible for initiating the **Systemic Anti-Cancer Therapy** for the **PATIENT**.

---

**PROFESSIONAL REGISTRATION ENTRY IDENTIFIER (INITIATED SYSTEMIC ANTI-CANCER THERAPY)**

---

Change to Data Element: New Data Element

**PROFESSIONAL REGISTRATION ENTRY IDENTIFIER (INITIATED SYSTEMIC ANTI-CANCER THERAPY)**

**Attribute:**

<b>PROFESSIONAL REGISTRATION ENTRY IDENTIFIER</b>
---

---

**PROFESSIONAL REGISTRATION ISSUER CODE (INITIATED SYSTEMIC ANTI-CANCER THERAPY)**

---

Change to Data Element: New Data Element

Format/Length:	an2
National Codes:	

Default Codes:

**Notes:**

PROFESSIONAL REGISTRATION ISSUER CODE (INITIATED SYSTEMIC ANTI-CANCER THERAPY) is the same as attribute PROFESSIONAL REGISTRATION BODY CODE.

PROFESSIONAL REGISTRATION ISSUER CODE (INITIATED SYSTEMIC ANTI-CANCER THERAPY) is the code which identifies the PROFESSIONAL REGISTRATION BODY of the CARE PROFESSIONAL responsible for initiating the Systemic Anti-Cancer Therapy for the PATIENT.

*Permitted National Codes:*

- 03 General Medical Council
- 08 Health and Care Professions Council
- 09 Nursing and Midwifery Council
- 16 General Pharmaceutical Council

---

**PROFESSIONAL REGISTRATION ISSUER CODE (INITIATED SYSTEMIC ANTI-CANCER THERAPY)**

---

Change to Data Element: New Data Element

**PROFESSIONAL REGISTRATION ISSUER CODE (INITIATED SYSTEMIC ANTI-CANCER THERAPY)**

**Attribute:**

PROFESSIONAL REGISTRATION BODY CODE

---

**ROUTE OF ADMINISTRATION (SNOMED CT)**

---

Change to Data Element: Changed Description

Format/Length: See [SNOMED CT CODE](#)  
National Codes:  
Default Codes:

**Notes:**

[ROUTE OF ADMINISTRATION \(SNOMED CT\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).

[ROUTE OF ADMINISTRATION \(SNOMED CT\)](#) is the [SNOMED CT](#)® concept ID which is used to identify the route of administration.

[SNOMED CT Refset:](#)

- [Refset](#) FSN: ePrescribing route of administration simple reference set (foundation metadata concept)
- [Refset](#) Id : 999000051000001100

For further details relating to the [SNOMED CT Refset](#), see the [SNOMED CT Browser](#) at: [ePrescribing route of administration simple reference set \(foundation metadata concept\)](#).

~~[ROUTE OF ADMINISTRATION \(SNOMED CT DM+D\)](#) will be replaced with [ROUTE OF ADMINISTRATION \(SNOMED CT\)](#), which is the most recent approved national information standard to describe the required definition.~~

---

ROUTE OF ADMINISTRATION (SNOMED CT DM+D) (RETIRED)\_ renamed from ROUTE OF ADMINISTRATION (SNOMED CT DM+D)

---

Change to Data Element: Changed linked Attribute, Name, status to Retired, Description

Format/Length:	See <a href="#">DM+D CODE</a>
National Codes:	
Default Codes:	

**Notes:**

~~[ROUTE OF ADMINISTRATION \(SNOMED CT DM+D\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).~~

~~[ROUTE OF ADMINISTRATION \(SNOMED CT DM+D\)](#) is the [SNOMED CT](#)® concept ID from the [NHS Dictionary of Medicines and Devices](#) which is used to identify the route of administration. **This item has been retired from the NHS Data Model and Dictionary.**~~

~~[SNOMED CT Refset](#): The last live version of this item is available in the ?????? release of the NHS Data Model and Dictionary.~~

- ~~[Refset](#) FSN: ePrescribing route of administration simple reference set (foundation metadata concept)~~
- ~~[Refset](#) Id : 999000051000001100~~

~~For further details relating to the [SNOMED CT Refset](#), see the [SNOMED CT Browser](#) at: [ePrescribing route of administration simple reference set \(foundation metadata concept\)](#).~~

~~[ROUTE OF ADMINISTRATION \(SNOMED CT DM+D\)](#) will be replaced with [ROUTE OF ADMINISTRATION \(SNOMED CT\)](#), which is the most recent approved national information standard to describe the required definition. Access to this version can be obtained by emailing [information.standards@nhs.net](mailto:information.standards@nhs.net) with "NHS Data Model and Dictionary - Archive Request" in the email subject line.~~

---

ROUTE OF ADMINISTRATION (SNOMED CT DM+D) (RETIRED)\_ renamed from ROUTE OF ADMINISTRATION (SNOMED CT DM+D)

---

Change to Data Element: Changed linked Attribute, Name, status to Retired, Description

## ROUTE OF ADMINISTRATION (SNOMED CT DM+D)

Attribute:

CLINICAL TERMINOLOGY CODE

ROUTE OF ADMINISTRATION (SNOMED CT DM+D) (RETIRED)\_ renamed from ROUTE OF ADMINISTRATION (SNOMED CT DM+D)

Change to Data Element: Changed linked Attribute, Name, status to Retired, Description

- null
- Changed Name from Data\_Dictionary.Data\_Field\_Notes.R.Rep.ROUTE\_OF\_ADMINISTRATION\_(SNOMED\_CT\_DM+D) to Retired.Data\_Dictionary.Data\_Field\_Notes.R.ROUTE\_OF\_ADMINISTRATION\_(SNOMED\_CT\_DM+D)
- Retired ROUTE OF ADMINISTRATION (SNOMED CT DM+D)
- Changed Description

SYSTEMIC ANTI-CANCER THERAPY ACTUAL DOSE (RETIRED)\_ renamed from SYSTEMIC ANTI-CANCER THERAPY ACTUAL DOSE

Change to Data Element: Changed linked Attribute, Name, status to Retired, Description

Format/Length: max n8

National Codes:

Default Codes:

Notes:

SYSTEMIC ANTI-CANCER THERAPY ACTUAL DOSE is the same as attribute SYSTEMIC ANTI-CANCER THERAPY ACTUAL DOSE. This item has been retired from the NHS Data Model and Dictionary.

The last live version of this item is available in the ?????? release of the NHS Data Model and Dictionary.

Access to this version can be obtained by emailing [information.standards@nhs.net](mailto:information.standards@nhs.net) with "NHS Data Model and Dictionary - Archive Request" in the email subject line.

SYSTEMIC ANTI-CANCER THERAPY ACTUAL DOSE (RETIRED)\_ renamed from SYSTEMIC ANTI-CANCER THERAPY ACTUAL DOSE

Change to Data Element: Changed linked Attribute, Name, status to Retired, Description

## SYSTEMIC ANTI-CANCER THERAPY ACTUAL DOSE

Attribute:

SYSTEMIC ANTI-CANCER THERAPY ACTUAL DOSE

---

**SYSTEMIC ANTI-CANCER THERAPY ACTUAL DOSE (RETIRED)\_ renamed from SYSTEMIC ANTI-CANCER THERAPY ACTUAL DOSE**

---

Change to Data Element: Changed linked Attribute, Name, status to Retired, Description

- null
- Changed Name from Data\_Dictionary.Data\_Field\_Notes.S.Sy.SYSTEMIC\_ANTI-CANCER\_THERAPY\_ACTUAL\_DOSE to Retired.Data\_Dictionary.Data\_Field\_Notes.S.SYSTEMIC\_ANTI-CANCER\_THERAPY\_ACTUAL\_DOSE
- Retired SYSTEMIC ANTI-CANCER THERAPY ACTUAL DOSE
- Changed Description

---

**SYSTEMIC ANTI-CANCER THERAPY ADMINISTRATION DATE (RETIRED)\_ renamed from SYSTEMIC ANTI-CANCER THERAPY ADMINISTRATION DATE**

---

Change to Data Element: Changed linked Attribute, Name, status to Retired, Description

Format/Length:	an10-CCYY-MM-DD
National Codes:	
Default Codes:	

**Notes:**

~~SYSTEMIC ANTI-CANCER THERAPY ADMINISTRATION DATE is the same as attribute ACTIVITY DATE.~~

~~SYSTEMIC ANTI-CANCER THERAPY ADMINISTRATION DATE is the Care Contact Date of the Systemic Anti-Cancer Therapy Drug Administration or the date an oral drug was initially dispensed to the PATIENT. This item has been retired from the NHS Data Model and Dictionary.~~

**The last live version of this item is available in the ?????? release of the NHS Data Model and Dictionary.**

**Access to this version can be obtained by emailing [information.standards@nhs.net](mailto:information.standards@nhs.net) with "NHS Data Model and Dictionary - Archive Request" in the email subject line.**

---

**SYSTEMIC ANTI-CANCER THERAPY ADMINISTRATION DATE (RETIRED)\_ renamed from SYSTEMIC ANTI-CANCER THERAPY ADMINISTRATION DATE**

---

Change to Data Element: Changed Drug linked Attribute, Name, status to Retired, Description

**SYSTEMIC ANTI-CANCER THERAPY ADMINISTRATION DATE**

**Attribute:**

<a href="#">ACTIVITY DATE</a>
-------------------------------

**SYSTEMIC ANTI-CANCER THERAPY ADMINISTRATION DATE (RETIRED)\_ renamed from SYSTEMIC ANTI-CANCER THERAPY ADMINISTRATION DATE**

Change to Data Element: Changed linked Attribute, Name, status to Retired, Description

- null
- Changed Name from Data\_Dictionary.Data\_Field\_Notes.S.Sy.SYSTEMIC\_ANTI-CANCER\_THERAPY\_ADMINISTRATION\_DATE to Retired.Data\_Dictionary.Data\_Field\_Notes.S.SYSTEMIC\_ANTI-CANCER\_THERAPY\_ADMINISTRATION\_DATE
- Retired SYSTEMIC ANTI-CANCER THERAPY ADMINISTRATION DATE
- Changed Description

**SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT COMPLETED AS PLANNED INDICATOR (RETIRED) renamed from SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT COMPLETED AS PLANNED INDICATOR**

Change to Data Element: Changed linked Attribute, Name, status to Retired, Description

Format/Length:	an1
National Codes:	See <a href="#">SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT COMPLETED AS PLANNED INDICATOR</a>
Default Codes:	

**Notes:**

~~SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT COMPLETED AS PLANNED INDICATOR~~ is the same as attribute ~~SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT COMPLETED AS PLANNED INDICATOR~~. **This item has been retired from the NHS Data Model and Dictionary.**

**The last live version of this item is available in the ?????? release of the NHS Data Model and Dictionary.**

**Access to this version can be obtained by emailing [information.standards@nhs.net](mailto:information.standards@nhs.net) with "NHS Data Model and Dictionary - Archive Request" in the email subject line.**

**SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT COMPLETED AS PLANNED INDICATOR (RETIRED) renamed from SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT COMPLETED AS PLANNED INDICATOR**

Change to Data Element: Changed linked Attribute, Name, status to Retired, Description

**SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT COMPLETED AS PLANNED INDICATOR**

**Attribute:**

<a href="#">SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT COMPLETED AS PLANNED INDICATOR</a>
--

---

**SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT COMPLETED AS PLANNED INDICATOR (RETIRED)**  
renamed from **SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT COMPLETED AS PLANNED INDICATOR**

---

Change to Data Element: Changed linked Attribute, Name, status to Retired, Description

- null
- Changed Name from Data\_Dictionary.Data\_Field\_Notes.S.Sy.SYSTEMIC\_ANTI-CANCER\_THERAPY\_CURATIVE\_TREATMENT\_COMPLETED\_AS\_PLANNED\_INDICATOR to Retired.Data\_Dictionary.Data\_Field\_Notes.S.SYSTEMIC\_ANTI-CANCER\_THERAPY\_CURATIVE\_TREATMENT\_COMPLETED\_AS\_PLANNED\_INDICATOR
- Retired SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT COMPLETED AS PLANNED INDICATOR
- Changed Description

---

**SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT NOT COMPLETED OUTCOME REASON (RETIRED)**  
renamed from **SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT NOT COMPLETED OUTCOME REASON**

---

Change to Data Element: Changed linked Attribute, Name, status to Retired, Description

Format/Length:	an1
National Codes:	See <a href="#">SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT NOT COMPLETED OUTCOME REASON</a>
Default Codes:	

**Notes:**

~~SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT NOT COMPLETED OUTCOME REASON~~ is the same as attribute ~~SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT NOT COMPLETED OUTCOME REASON~~. This item has been retired from the NHS Data Model and Dictionary.

The last live version of this item is available in the ?????? release of the NHS Data Model and Dictionary.

Access to this version can be obtained by emailing [information.standards@nhs.net](mailto:information.standards@nhs.net) with "NHS Data Model and Dictionary - Archive Request" in the email subject line.

---

**SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT NOT COMPLETED OUTCOME REASON (RETIRED)**  
renamed from **SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT NOT COMPLETED OUTCOME REASON**

---

Change to Data Element: Changed linked Attribute, Name, status to Retired, Description

**SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT NOT COMPLETED OUTCOME REASON**

**Attribute:**

--

SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT NOT COMPLETED OUTCOME REASON

SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT NOT COMPLETED OUTCOME REASON (RETIRED)  
renamed from SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT NOT COMPLETED OUTCOME REASON

Change to Data Element: Changed linked Attribute, Name, status to Retired, Description

- null
- Changed Name from Data\_Dictionary.Data\_Field\_Notes.S.Sy.SYSTEMIC\_ANTI-CANCER\_THERAPY\_CURATIVE\_TREATMENT\_NOT\_COMPLETED\_OUTCOME\_REASON to Retired.Data\_Dictionary.Data\_Field\_Notes.S.SYSTEMIC\_ANTI-CANCER\_THERAPY\_CURATIVE\_TREATMENT\_NOT\_COMPLETED\_OUTCOME\_REASON
- Retired SYSTEMIC ANTI-CANCER THERAPY CURATIVE TREATMENT NOT COMPLETED OUTCOME REASON
- Changed Description

SYSTEMIC ANTI-CANCER THERAPY DRUG (SNOMED CT DM+D) (RETIRED)\_ renamed from SYSTEMIC ANTI-CANCER THERAPY DRUG (SNOMED CT DM+D)

Change to Data Element: Changed linked Attribute, Name, status to Retired, Description

Format/Length: See [DM+D CODE](#)  
National Codes:  
Default Codes:

**Notes:**

~~[SYSTEMIC ANTI-CANCER THERAPY DRUG \(SNOMED CT DM+D\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).~~

~~[SYSTEMIC ANTI-CANCER THERAPY DRUG \(SNOMED CT DM+D\)](#) is the [SNOMED CT](#)® concept ID from the [NHS Dictionary of Medicines and Devices](#) which is used to identify the [Systemic Anti Cancer Therapy](#) drug given to a [PATIENT](#). This item has been retired from the NHS Data Model and Dictionary.~~

~~The last live version of this item is available in the ?????? release of the NHS Data Model and Dictionary.~~

~~Access to this version can be obtained by emailing [information.standards@nhs.net](mailto:information.standards@nhs.net) with "NHS Data Model and Dictionary - Archive Request" in the email subject line.~~

SYSTEMIC ANTI-CANCER THERAPY DRUG (SNOMED CT DM+D) (RETIRED)\_ renamed from SYSTEMIC ANTI-CANCER THERAPY DRUG (SNOMED CT DM+D)

Change to Data Element: Changed linked Attribute, Name, status to Retired, Description

## SYSTEMIC ANTI-CANCER THERAPY DRUG (SNOMED CT DM+D)

Attribute:

CLINICAL TERMINOLOGY CODE

SYSTEMIC ANTI-CANCER THERAPY DRUG (SNOMED CT DM+D) (RETIRED)\_ renamed from SYSTEMIC ANTI-CANCER THERAPY DRUG (SNOMED CT DM+D)

Change to Data Element: Changed linked Attribute, Name, status to Retired, Description

- null
- Changed Name from Data\_Dictionary.Data\_Field\_Notes.S.Sy.SYSTEMIC\_ANTI-CANCER\_THERAPY\_DRUG\_(SNOMED\_CT\_DM+D) to Retired.Data\_Dictionary.Data\_Field\_Notes.S.SYSTEMIC\_ANTI-CANCER\_THERAPY\_DRUG\_(SNOMED\_CT\_DM+D)
- Retired SYSTEMIC ANTI-CANCER THERAPY DRUG (SNOMED CT DM+D)
- Changed Description

### SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DELAY INDICATOR

Change to Data Element: New Data Element

Format/Length: an1  
 National Codes: See SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DELAY INDICATOR  
 Default Codes:

#### Notes:

SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DELAY INDICATOR is the same as attribute SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DELAY INDICATOR.

#### This data element is also known by these names:

Context	Alias
plural	SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DELAY INDICATORS

### SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DELAY INDICATOR

Change to Data Element: New Data Element

## SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DELAY INDICATOR

Attribute:

SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DELAY INDICATOR

### SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DELAY REASON

Change to Data Element: New Data Element

Format/Length:	an1
National Codes:	See <a href="#">SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DELAY REASON</a>
Default Codes:	

**Notes:**

[SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DELAY REASON](#) is the same as attribute [SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DELAY REASON](#).

**This data element is also known by these names:**

Context	Alias
plural	SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DELAY REASONS

---

**SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DELAY REASON**

Change to Data Element: New Data Element

**SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DELAY REASON**

**Attribute:**

<a href="#">SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DELAY REASON</a>
--

---

**SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DRUG OMISSION INDICATOR**

Change to Data Element: New Data Element

Format/Length:	an1
National Codes:	See <a href="#">SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DRUG OMISSION INDICATOR</a>
Default Codes:	

**Notes:**

[SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DRUG OMISSION INDICATOR](#) is the same as attribute [SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DRUG OMISSION INDICATOR](#).

**This data element is also known by these names:**

Context	Alias
plural	SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DRUG OMISSION INDICATORS

---

**SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DRUG OMISSION INDICATOR**

Change to Data Element: New Data Element

**SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DRUG OMISSION INDICATOR**

**Attribute:**

SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DRUG OMISSION INDICATOR

**SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DRUG OMISSION REASON**

Change to Data Element: New Data Element

Format/Length:	an1
National Codes:	See SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DRUG OMISSION REASON
Default Codes:	

**Notes:**

SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DRUG OMISSION REASON is the same as attribute SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DRUG OMISSION REASON.

**This data element is also known by these names:**

Context	Alias
plural	SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DRUG OMISSION REASONS

**SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DRUG OMISSION REASON**

Change to Data Element: New Data Element

**SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DRUG OMISSION REASON**

**Attribute:**

SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DRUG OMISSION REASON

**SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE LENGTH IN DAYS**

Change to Data Element: New Data Element

Format/Length:	max n3
National Codes:	
Default Codes:	

**Notes:**

SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE LENGTH IN DAYS is the same as attribute ACTIVITY DURATION.

SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE LENGTH IN DAYS is the length of the Systemic Anti-Cancer Therapy Drug Cycle (in days) for the Systemic Anti-Cancer Therapy drug administered or dispensed.

The value is in the range 1-366.

---

**SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE LENGTH IN DAYS**

---

Change to Data Element: New Data Element

**SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE LENGTH IN DAYS**

Attribute:

ACTIVITY DURATION

---

**SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE PATIENT CLINICAL FACTORS DELAY REASON**

---

Change to Data Element: New Data Element

Format/Length:	an1
National Codes:	See SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE PATIENT CLINICAL FACTORS DELAY REASON
Default Codes:	

**Notes:**

SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE PATIENT CLINICAL FACTORS DELAY REASON is the same as attribute SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE PATIENT CLINICAL FACTORS DELAY REASON.

**This data element is also known by these names:**

Context	Alias
plural	SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE DELAY PATIENT CLINICAL FACTORS REASONS

---

**SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE PATIENT CLINICAL FACTORS DELAY REASON**

---

Change to Data Element: New Data Element

**SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE PATIENT CLINICAL FACTORS DELAY REASON**

Attribute:

SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE PATIENT CLINICAL FACTORS DELAY REASON

---

**SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE PATIENT CLINICAL FACTORS DRUG OMISSION REASON**

Change to Data Element: New Data Element

Format/Length:	an1
National Codes:	See SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE PATIENT CLINICAL FACTORS DRUG OMISSION REASON
Default Codes:	

**Notes:**

SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE PATIENT CLINICAL FACTORS DRUG OMISSION REASON is the same as attribute SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE PATIENT CLINICAL FACTORS DRUG OMISSION REASON.

**This data element is also known by these names:**

Context	Alias
plural	SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE PATIENT CLINICAL FACTORS DRUG OMISSION REASONS

**SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE PATIENT CLINICAL FACTORS DRUG OMISSION REASON**

Change to Data Element: New Data Element

**SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE PATIENT CLINICAL FACTORS DRUG OMISSION REASON**

**Attribute:**

SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE PATIENT CLINICAL FACTORS DRUG OMISSION REASON
---

**SYSTEMIC ANTI-CANCER THERAPY DRUG DOSE MODIFICATION INDICATOR**

Change to Data Element: New Data Element

Format/Length:	an1
National Codes:	See SYSTEMIC ANTI-CANCER THERAPY DRUG DOSE MODIFICATION INDICATOR
Default Codes:	

**Notes:**

SYSTEMIC ANTI-CANCER THERAPY DRUG DOSE MODIFICATION INDICATOR is the same as attribute SYSTEMIC ANTI-CANCER THERAPY DRUG DOSE MODIFICATION INDICATOR.

**This data element is also known by these names:**

Context	Alias
---------	-------

plural

SYSTEMIC ANTI-CANCER THERAPY DRUG DOSE MODIFICATION INDICATORS

SYSTEMIC ANTI-CANCER THERAPY DRUG DOSE MODIFICATION INDICATOR

Change to Data Element: New Data Element

SYSTEMIC ANTI-CANCER THERAPY DRUG DOSE MODIFICATION INDICATOR

Attribute:

SYSTEMIC ANTI-CANCER THERAPY DRUG DOSE MODIFICATION INDICATOR

SYSTEMIC ANTI-CANCER THERAPY DRUG DOSE MODIFICATION REASON

Change to Data Element: New Data Element

Format/Length:	an1
National Codes:	See SYSTEMIC ANTI-CANCER THERAPY DRUG DOSE MODIFICATION REASON
Default Codes:	

Notes:

SYSTEMIC ANTI-CANCER THERAPY DRUG DOSE MODIFICATION REASON is the same as attribute SYSTEMIC ANTI-CANCER THERAPY DRUG DOSE MODIFICATION REASON.

This data element is also known by these names:

Context	Alias
plural	SYSTEMIC ANTI-CANCER THERAPY DRUG DOSE MODIFICATION REASONS

SYSTEMIC ANTI-CANCER THERAPY DRUG DOSE MODIFICATION REASON

Change to Data Element: New Data Element

SYSTEMIC ANTI-CANCER THERAPY DRUG DOSE MODIFICATION REASON

Attribute:

SYSTEMIC ANTI-CANCER THERAPY DRUG DOSE MODIFICATION REASON

SYSTEMIC ANTI-CANCER THERAPY DRUG PATIENT CLINICAL FACTORS DOSE MODIFICATION REASON

Change to Data Element: New Data Element

Format/Length:	an1
----------------	-----

National Codes: See SYSTEMIC ANTI-CANCER THERAPY DRUG PATIENT CLINICAL FACTORS DOSE MODIFICATION REASON

Default Codes:

**Notes:**

SYSTEMIC ANTI-CANCER THERAPY DRUG PATIENT CLINICAL FACTORS DOSE MODIFICATION REASON is the same as attribute SYSTEMIC ANTI-CANCER THERAPY DRUG PATIENT CLINICAL FACTORS DOSE MODIFICATION REASON.

**This data element is also known by these names:**

Context	Alias
plural	SYSTEMIC ANTI-CANCER THERAPY DRUG PATIENT CLINICAL FACTORS DOSE MODIFICATION REASONS

SYSTEMIC ANTI-CANCER THERAPY DRUG PATIENT CLINICAL FACTORS DOSE MODIFICATION REASON

Change to Data Element: New Data Element

**SYSTEMIC ANTI-CANCER THERAPY DRUG PATIENT CLINICAL FACTORS DOSE MODIFICATION REASON**

**Attribute:**

SYSTEMIC ANTI-CANCER THERAPY DRUG PATIENT CLINICAL FACTORS DOSE MODIFICATION REASON

SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN COMPLETION OR END REASON

Change to Data Element: New Data Element

Format/Length: an1

National Codes: See SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN COMPLETION OR END REASON

Default Codes:

**Notes:**

SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN COMPLETION OR END REASON is the same as attribute SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN COMPLETION OR END REASON.

**This data element is also known by these names:**

Context	Alias
plural	SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN COMPLETION OR END REASONS

SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN COMPLETION OR END REASON

Change to Data Element: New Data Element

## SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN COMPLETION OR END REASON

Attribute:

SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN COMPLETION OR END REASON

SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN GIVEN AS PART OF CHEMORADIATION INDICATOR

Change to Data Element: New Data Element

Format/Length:	an1
National Codes:	See SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN GIVEN AS PART OF CHEMORADIATION INDICATOR
Default Codes:	

Notes:

SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN GIVEN AS PART OF CHEMORADIATION INDICATOR is the same as attribute SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN GIVEN AS PART OF CHEMORADIATION INDICATOR.

This data element is also known by these names:

Context	Alias
plural	SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN GIVEN AS PART OF CHEMORADIATION INDICATORS

SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN GIVEN AS PART OF CHEMORADIATION INDICATOR

Change to Data Element: New Data Element

## SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN GIVEN AS PART OF CHEMORADIATION INDICATOR

Attribute:

SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN GIVEN AS PART OF CHEMORADIATION INDICATOR

SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN LINE OF CURATIVE TREATMENT

Change to Data Element: New Data Element

Format/Length:	max n2
National Codes:	

Default Codes:

**Notes:**

SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN LINE OF CURATIVE TREATMENT is the same as attribute SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN LINE OF TREATMENT.

SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN LINE OF CURATIVE TREATMENT is the Systemic Anti-Cancer Therapy Drug Regimen line of the Curative treatment.

The value is in the range 1-99.

**This data element is also known by these names:**

Context	Alias
plural	SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN LINES OF CURATIVE TREATMENT

**SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN LINE OF CURATIVE TREATMENT**

Change to Data Element: New Data Element

**SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN LINE OF CURATIVE TREATMENT**

**Attribute:**

SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN LINE OF TREATMENT
---

**SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN LINE OF NON-CURATIVE TREATMENT**

Change to Data Element: New Data Element

Format/Length:	max n2
National Codes:	
Default Codes:	

**Notes:**

SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN LINE OF NON-CURATIVE TREATMENT is the same as attribute SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN LINE OF TREATMENT.

SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN LINE OF NON-CURATIVE TREATMENT is the Systemic Anti-Cancer Therapy Drug Regimen line of the Non-curative treatment.

The value is in the range 1-99.

**This data element is also known by these names:**

Context	Alias
plural	SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN LINES OF NON-CURATIVE TREATMENT

---

SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN LINE OF NON-CURATIVE TREATMENT

---

Change to Data Element: New Data Element

## SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN LINE OF NON-CURATIVE TREATMENT

**Attribute:**

SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN LINE OF TREATMENT
---

---

SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN MODIFICATION INDICATOR (DOSE REDUCTION) (RETIRED)  
renamed from SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN MODIFICATION INDICATOR (DOSE REDUCTION)

---

Change to Data Element: Changed linked Attribute, Name, status to Retired, Description

Format/Length:	an1
National Codes:	See <a href="#">SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN MODIFICATION INDICATOR FOR DOSE REDUCTION</a>
Default Codes:	

**Notes:**

~~SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN MODIFICATION INDICATOR (DOSE REDUCTION)~~ is the same as attribute ~~SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN MODIFICATION INDICATOR FOR DOSE REDUCTION~~. **This item has been retired from the NHS Data Model and Dictionary.**

The last live version of this item is available in the ?????? release of the NHS Data Model and Dictionary.

Access to this version can be obtained by emailing [information.standards@nhs.net](mailto:information.standards@nhs.net) with "NHS Data Model and Dictionary - Archive Request" in the email subject line.

---

SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN MODIFICATION INDICATOR (DOSE REDUCTION) (RETIRED)  
renamed from SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN MODIFICATION INDICATOR (DOSE REDUCTION)

---

Change to Data Element: Changed linked Attribute, Name, status to Retired, Description

## SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN MODIFICATION INDICATOR (DOSE REDUCTION)

**Attribute:**

SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN MODIFICATION INDICATOR FOR DOSE REDUCTION

**SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN MODIFICATION INDICATOR (DOSE REDUCTION) (RETIRED)**  
renamed from **SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN MODIFICATION INDICATOR (DOSE REDUCTION)**

Change to Data Element: Changed linked Attribute, Name, status to Retired, Description

- null
- Changed Name from Data\_Dictionary.Data\_Field\_Notes.S.Sy.SYSTEMIC\_ANTI-CANCER\_THERAPY\_DRUG\_REGIMEN\_MODIFICATION\_INDICATOR\_(DOSE\_REDUCTION) to Retired.Data\_Dictionary.Data\_Field\_Notes.S.SYSTEMIC\_ANTI-CANCER\_THERAPY\_DRUG\_REGIMEN\_MODIFICATION\_INDICATOR\_(DOSE\_REDUCTION)
- Retired SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN MODIFICATION INDICATOR (DOSE REDUCTION)
- Changed Description

**SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN PATIENT CLINICAL FACTORS UPFRONT DOSE MODIFICATION REASON**

Change to Data Element: New Data Element

Format/Length: an1  
National Codes: See SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN PATIENT CLINICAL FACTORS UPFRONT DOSE MODIFICATION REASON  
Default Codes:

**Notes:**

SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN PATIENT CLINICAL FACTORS UPFRONT DOSE MODIFICATION REASON is the same as attribute SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN PATIENT CLINICAL FACTORS UPFRONT DOSE MODIFICATION REASON.

**This data element is also known by these names:**

Context	Alias
plural	SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN PATIENT CLINICAL FACTORS UPFRONT DOSE MODIFICATION REASONS

**SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN PATIENT CLINICAL FACTORS UPFRONT DOSE MODIFICATION REASON**

Change to Data Element: New Data Element

**SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN PATIENT CLINICAL FACTORS UPFRONT DOSE MODIFICATION REASON**

**Attribute:**

SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN PATIENT CLINICAL FACTORS UPFRONT DOSE MODIFICATION REASON

**SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN TREATMENT CONTEXT**

Change to Data Element: New Data Element

Format/Length: an2  
National Codes: See SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN TREATMENT CONTEXT  
Default Codes:

**Notes:**

SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN TREATMENT CONTEXT is the same as attribute SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN TREATMENT CONTEXT.

**This data element is also known by these names:**

Context	Alias
plural	SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN TREATMENT CONTEXTS

**SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN TREATMENT CONTEXT**

Change to Data Element: New Data Element

**SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN TREATMENT CONTEXT**

**Attribute:**

SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN TREATMENT CONTEXT

**SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN TREATMENT INTENT**

Change to Data Element: Changed Description

Format/Length: an2  
National Codes: See SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN TREATMENT INTENT  
Default Codes: 99 - Not Known (Not Recorded)  
Default Codes: 99 - Not Known (Not Recorded) (Retired 1 April 2026)

**Notes:**

[SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN TREATMENT INTENT](#) is the same as attribute [SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN TREATMENT INTENT](#).

---

**SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN UPFRONT DOSE MODIFICATION INDICATOR**

---

Change to Data Element: New Data Element

Format/Length:	an1
National Codes:	See <a href="#">SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN UPFRONT DOSE MODIFICATION INDICATOR</a>
Default Codes:	

**Notes:**

[SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN UPFRONT DOSE MODIFICATION INDICATOR](#) is the same as attribute [SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN UPFRONT DOSE MODIFICATION INDICATOR](#).

**This data element is also known by these names:**

Context	Alias
plural	<a href="#">SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN UPFRONT DOSE MODIFICATION INDICATORS</a>

---

**SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN UPFRONT DOSE MODIFICATION INDICATOR**

---

Change to Data Element: New Data Element

**SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN UPFRONT DOSE MODIFICATION INDICATOR**

**Attribute:**

<a href="#">SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN UPFRONT DOSE MODIFICATION INDICATOR</a>
---

---

**SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN UPFRONT DOSE MODIFICATION REASON**

---

Change to Data Element: New Data Element

Format/Length:	an1
National Codes:	See <a href="#">SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN UPFRONT DOSE MODIFICATION REASON</a>
Default Codes:	

**Notes:**

[SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN UPFRONT DOSE MODIFICATION REASON](#) is

the same as attribute [SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN UPFRONT DOSE MODIFICATION REASON](#).

**This data element is also known by these names:**

Context	Alias
plural	SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN UPFRONT DOSE MODIFICATION REASONS

---

SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN UPFRONT DOSE MODIFICATION REASON

---

Change to Data Element: New Data Element

## SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN UPFRONT DOSE MODIFICATION REASON

**Attribute:**

<a href="#">SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN UPFRONT DOSE MODIFICATION REASON</a>
--

---

SYSTEMIC ANTI-CANCER THERAPY NON CURATIVE TREATMENT PATIENT BENEFIT INDICATOR (RETIRED)\_ renamed from [SYSTEMIC ANTI-CANCER THERAPY NON CURATIVE TREATMENT PATIENT BENEFIT INDICATOR](#)

---

Change to Data Element: Changed linked Attribute, Name, status to Retired, Description

Format/Length:	an1
National Codes:	See <a href="#">SYSTEMIC ANTI-CANCER THERAPY NON CURATIVE TREATMENT PATIENT BENEFIT INDICATOR</a>
Default Codes:	

**Notes:**

[SYSTEMIC ANTI-CANCER THERAPY NON CURATIVE TREATMENT PATIENT BENEFIT INDICATOR](#) is the same as attribute [SYSTEMIC ANTI-CANCER THERAPY NON CURATIVE TREATMENT PATIENT BENEFIT INDICATOR](#). **This item has been retired from the NHS Data Model and Dictionary.**

The last live version of this item is available in the ??????? release of the NHS Data Model and Dictionary.

Access to this version can be obtained by emailing [information.standards@nhs.net](mailto:information.standards@nhs.net) with "NHS Data Model and Dictionary - Archive Request" in the email subject line.

---

SYSTEMIC ANTI-CANCER THERAPY NON CURATIVE TREATMENT PATIENT BENEFIT INDICATOR (RETIRED)\_ renamed from [SYSTEMIC ANTI-CANCER THERAPY NON CURATIVE TREATMENT PATIENT BENEFIT INDICATOR](#)

---

Change to Data Element: Changed linked Attribute, Name, status to Retired, Description

# SYSTEMIC ANTI-CANCER THERAPY NON CURATIVE TREATMENT PATIENT BENEFIT INDICATOR

Attribute:

SYSTEMIC ANTI-CANCER THERAPY NON CURATIVE TREATMENT PATIENT BENEFIT INDICATOR

SYSTEMIC ANTI-CANCER THERAPY NON CURATIVE TREATMENT PATIENT BENEFIT INDICATOR (RETIRED)\_ renamed from SYSTEMIC ANTI-CANCER THERAPY NON CURATIVE TREATMENT PATIENT BENEFIT INDICATOR

Change to Data Element: Changed linked Attribute, Name, status to Retired, Description

- null
- Changed Name from Data\_Dictionary.Data\_Field\_Notes.S.Sy.SYSTEMIC\_ANTI-CANCER\_THERAPY\_NON\_CURATIVE\_TREATMENT\_PATIENT\_BENEFIT\_INDICATOR to Retired.Data\_Dictionary.Data\_Field\_Notes.S.SYSTEMIC\_ANTI-CANCER\_THERAPY\_NON\_CURATIVE\_TREATMENT\_PATIENT\_BENEFIT\_INDICATOR
- Retired SYSTEMIC ANTI-CANCER THERAPY NON CURATIVE TREATMENT PATIENT BENEFIT INDICATOR
- Changed Description

## SYSTEMIC ANTI-CANCER THERAPY ORAL DRUG DISPENSED DATE

Change to Data Element: New Data Element

Format/Length: an10 CCYY-MM-DD  
National Codes:  
Default Codes:

### Notes:

SYSTEMIC ANTI-CANCER THERAPY ORAL DRUG DISPENSED DATE is the same as attribute ACTIVITY DATE.

SYSTEMIC ANTI-CANCER THERAPY ORAL DRUG DISPENSED DATE is the date an oral Systemic Anti-Cancer Therapy drug was dispensed to the PATIENT.

### This data element is also known by these names:

Context	Alias
plural	SYSTEMIC ANTI-CANCER THERAPY ORAL DRUG DISPENSED DATES

## SYSTEMIC ANTI-CANCER THERAPY ORAL DRUG DISPENSED DATE

Change to Data Element: New Data Element

# SYSTEMIC ANTI-CANCER THERAPY ORAL DRUG DISPENSED DATE

**Attribute:**

ACTIVITY DATE

**SYSTEMIC ANTI-CANCER THERAPY TOTAL DAILY DOSE**

Change to Data Element: New Data Element

Format/Length: max an8  
National Codes:  
Default Codes:

**Notes:**

SYSTEMIC ANTI-CANCER THERAPY TOTAL DAILY DOSE is the same as attribute SYSTEMIC ANTI-CANCER THERAPY TOTAL DAILY DOSE.

**This data element is also known by these names:**

Context	Alias
plural	SYSTEMIC ANTI-CANCER THERAPY TOTAL DAILY DOSES

**SYSTEMIC ANTI-CANCER THERAPY TOTAL DAILY DOSE**

Change to Data Element: New Data Element

**SYSTEMIC ANTI-CANCER THERAPY TOTAL DAILY DOSE**

**Attribute:**

SYSTEMIC ANTI-CANCER THERAPY TOTAL DAILY DOSE

**SYSTEMIC ANTI-CANCER THERAPY TOXICITY MODIFICATION INDICATOR (RETIRED)** renamed from SYSTEMIC ANTI-CANCER THERAPY TOXICITY MODIFICATION INDICATOR

Change to Data Element: Changed linked Attribute, Name, status to Retired, Description

Format/Length: an1  
National Codes: See [SYSTEMIC ANTI-CANCER THERAPY TOXICITY MODIFICATION INDICATOR](#)  
Default Codes:

**Notes:**

~~SYSTEMIC ANTI-CANCER THERAPY TOXICITY MODIFICATION INDICATOR~~ is the same as attribute ~~SYSTEMIC ANTI-CANCER THERAPY TOXICITY MODIFICATION INDICATOR~~. This item has been retired from the NHS Data Model and Dictionary.

The last live version of this item is available in the ?????? release of the NHS Data Model and Dictionary.

Access to this version can be obtained by emailing [information.standards@nhs.net](mailto:information.standards@nhs.net) with "NHS Data Model and Dictionary - Archive Request" in the email subject line.

---

SYSTEMIC ANTI-CANCER THERAPY TOXICITY MODIFICATION INDICATOR (RETIRED)\_ renamed from SYSTEMIC ANTI-CANCER THERAPY TOXICITY MODIFICATION INDICATOR

---

Change to Data Element: Changed linked Attribute, Name, status to Retired, Description

## SYSTEMIC ANTI-CANCER THERAPY TOXICITY MODIFICATION INDICATOR

**Attribute:**

[SYSTEMIC ANTI-CANCER THERAPY TOXICITY MODIFICATION INDICATOR](#)

---

SYSTEMIC ANTI-CANCER THERAPY TOXICITY MODIFICATION INDICATOR (RETIRED)\_ renamed from SYSTEMIC ANTI-CANCER THERAPY TOXICITY MODIFICATION INDICATOR

---

Change to Data Element: Changed linked Attribute, Name, status to Retired, Description

- null
  - Changed Name from Data\_Dictionary.Data\_Field\_Notes.S.Sy.SYSTEMIC\_ANTI-CANCER\_THERAPY\_TOXICITY\_MODIFICATION\_INDICATOR to Retired.Data\_Dictionary.Data\_Field\_Notes.S.SYSTEMIC\_ANTI-CANCER\_THERAPY\_TOXICITY\_MODIFICATION\_INDICATOR
  - Retired SYSTEMIC ANTI-CANCER THERAPY TOXICITY MODIFICATION INDICATOR
  - Changed Description
- 

### UNIT OF MEASUREMENT (DM+D)

---

Change to Data Element: Changed Description

Format/Length:	See <a href="#">DM+D CODE</a>
National Codes:	
Default Codes:	

---

**Notes:**

[UNIT OF MEASUREMENT \(DM+D\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).

[UNIT OF MEASUREMENT \(DM+D\)](#) is the [SNOMED CT®](#) concept ID from the [NHS Dictionary of Medicines and Devices](#) which is used to identify the [UNIT OF MEASUREMENT](#).

[SNOMED CT Refset](#) Metadata:

- [Refset](#) FSN: National Health Service dictionary of medicines and devices unit of measure simple reference set (foundation metadata concept)
- [Refset](#) Id: 999000991000001107

For further details relating to the [SNOMED CT Refset Metadata](#), see the SNOMED CT Browser at: [National Health Service dictionary of medicines and devices unit of measure simple reference set \(foundation metadata concept\)](#).

~~[UNIT OF MEASUREMENT \(SNOMED CT DM+D\)](#) will be replaced with [UNIT OF MEASUREMENT \(DM+D\)](#), which is the most recent approved national information standard to describe the required definition.~~

---

UNIT OF MEASUREMENT (SNOMED CT DM+D) (RETIRED)\_ renamed from UNIT OF MEASUREMENT (SNOMED CT DM+D)

---

Change to Data Element: Changed linked Attribute, Name, status to Retired, Description

Format/Length:	See <a href="#">DM+D CODE</a>
National Codes:	
Default Codes:	

**Notes:**

~~[UNIT OF MEASUREMENT \(SNOMED CT DM+D\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).~~

~~[UNIT OF MEASUREMENT \(SNOMED CT DM+D\)](#) is the [SNOMED CT](#) concept ID from the [NHS Dictionary of Medicines and Devices](#) which is used to identify the [UNIT OF MEASUREMENT](#). **This item has been retired from the NHS Data Model and Dictionary.**~~

~~[UNIT OF MEASUREMENT \(SNOMED CT DM+D\)](#) will be replaced with [UNIT OF MEASUREMENT \(DM+D\)](#), which is the most recent approved national information standard to describe the required definition. **The last live version of this item is available in the ?????? release of the NHS Data Model and Dictionary.**~~

**Access to this version can be obtained by emailing [information.standards@nhs.net](mailto:information.standards@nhs.net) with "NHS Data Model and Dictionary - Archive Request" in the email subject line.**

---

UNIT OF MEASUREMENT (SNOMED CT DM+D) (RETIRED)\_ renamed from UNIT OF MEASUREMENT (SNOMED CT DM+D)

---

Change to Data Element: Changed linked Attribute, Name, status to Retired, Description

**UNIT OF MEASUREMENT (SNOMED CT DM+D)**

**Attribute:**

<a href="#">CLINICAL TERMINOLOGY CODE</a>
---

**UNIT OF MEASUREMENT (SNOMED CT DM+D) (RETIRED)\_ renamed from UNIT OF MEASUREMENT (SNOMED CT DM+D)**

Change to Data Element: Changed linked Attribute, Name, status to Retired, Description

- null
- Changed Name from Data\_Dictionary.Data\_Field\_Notes.U.Un.UNIT\_OF\_MEASUREMENT\_(SNOMED\_CT\_DM+D) to Retired.Data\_Dictionary.Data\_Field\_Notes.U.UNIT\_OF\_MEASUREMENT\_(SNOMED\_CT\_DM+D)
- Retired UNIT OF MEASUREMENT (SNOMED CT DM+D)
- Changed Description

**SYSTEMIC ANTI-CANCER THERAPY DATA SET CONSTRAINTS**

Change to XML Schema Constraint: Changed Description

Data Set Constraints applied to the [Systemic Anti-Cancer Therapy Data Set](#).

**Key to Data Set Constraint Column Headings:**

Column Name	Column Meaning	Column Options	
Format/Length	Indicates any differences between the Format/Length of the item in the NHS Data Model and Dictionary and the data set specification	None = The Format/Length is the same as the NHS Data Model and Dictionary	Any other entry = The Format/Length is different in the data set specification to the NHS Data Model and Dictionary
Range	Indicates whether a range value constraint has been applied in the data set specification	None = There is no range value constraint applied in the data set specification	Any other entry = Shows the range value constraint applied in the data set specification
Pattern Match	Indicates whether a data pattern, to which the data must conform, has been applied in the data set specification	None = There is no data pattern, to which the data must conform, applied in the data set specification	Any other entry = Shows the data pattern, to which the data must conform, applied in the data set specification

**Data Set Constraints:**

Data Element	Format/Length	Range	Pattern Match	Reason / Comment
<a href="#">LOCAL PATIENT IDENTIFIER (EXTENDED)</a>	min an1 max an20	None	None	Existing Format/Length is max an20. Unable to change this as it is used in other data sets. Data Set allows min an1 max an20
	min an1 max an20	None	None	Existing Format/Length is max an20. Unable to change this as it

LOCAL PATIENT IDENTIFIER (EXTENDED)				is used in other data sets. Data Set allows min an1 max an20.
NUMBER OF SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLES ADMINISTERED	None	1-20	None	Range 1-20
ORGANISATION IDENTIFIER (CODE OF PROVIDER)	min an3 max an5	None	None	an6 is not applicable for the <a href="#">Systemic Anti-Cancer Therapy Data Set</a> . Format pattern applied to allow correct reporting of <a href="#">ORGANISATION IDENTIFIER (CODE OF PROVIDER)</a> .
ORGANISATION IDENTIFIER (OF SYSTEMIC ANTI-CANCER THERAPY ADMINISTRATION)	min an3 max an5	None	None	an6 is not applicable for the <a href="#">Systemic Anti-Cancer Therapy Data Set</a> . Format pattern applied to allow correct reporting of <a href="#">ORGANISATION IDENTIFIER (OF SYSTEMIC ANTI-CANCER THERAPY ADMINISTRATION)</a> .
SYSTEMIC ANTI-CANCER THERAPY DRUG CYCLE LENGTH IN DAYS	None	1-366	None	Range 1- 366
SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN LINE OF CURATIVE TREATMENT	None	1-99	None	Range 1-99
SYSTEMIC ANTI-CANCER THERAPY DRUG REGIMEN LINE OF NON-CURATIVE TREATMENT	None	1-99	None	Range 1-99

For enquiries about this Change Request, please email [support.digitalservices@nhs.net](mailto:support.digitalservices@nhs.net)