

CWT Specification

Excel format: [DSCRO_Spec_CWT.xlsx](#)

Database Field Name	Field Description	Field Group	Field Type	Field Length
CANCERCARESETTINGTREATMENT	The type of care setting where the cancer care relating to the Treatment Start Date (Cancer) took place. Where the care is delivered during a Hospital Provider Spell, distinction is made between care delivered as part of an ordinary admission (where the PATIENT CLASSIFICATION is National Code 'Ordinary Admission') and a day case admission (where PATIENT CLASSIFICATION is National Code 'Day case admission').	TREATMENT EVENTS	String	2
CANCERDIAGNOSTICREFERRALROUTE	The diagnostic referral route for PATIENTS for the National Cancer Waiting Times Monitoring Data Set.	OUTPATIENT SERVICES	String	2
CANCERFASTERDIAGNOSISPATHWAYENDDATE	Either the date when the PATIENT: <ul style="list-style-type: none"> is informed either 'Diagnosis of cancer' or 'Ruling out of cancer' is excluded from the Cancer Faster Diagnosis Pathway. 	PATIENT STATUS AND DIAGNOSIS	Date	
CANCERTREATMENTEVENTTYPE	The treatment event reached during a Cancer Pathway.	TREATMENT EVENTS	String	2
CANCERTREATMENTMODALITY	The type of treatment or care which was delivered during a Cancer Treatment Period. Represented by a national code.	TREATMENT EVENTS	String	2
CANCERTREATMENTPERIODSTARTDATE	A CANCER TREATMENT PERIOD START DATE will be either: <ul style="list-style-type: none"> the DECISION TO TREAT DATE the EARLIEST CLINICALLY APPROPRIATE DATE 	PATIENT STATUS AND DIAGNOSIS	Date	
CCG_OF_REGISTRATION	The Clinical Commissioning Group code of the GP Practice the subject is registered	Derived	String	3
CCG_OF_RESIDENCE	The Clinical Commissioning Group code of the address of the subject	Derived	String	3
CHILDFLAG	Boolean flag to indicate whether patient was aged 16 or under on the date of referral onto cancer pathway. Determined by CWT system using PDS and patient NHS Number	PATIENT AND PATHWAY IDENTIFICATION	String	1
CLINICALTRIALINDICATOR	For the Systemic Anti-Cancer Therapy Data Set, this identifies if a PATIENT's Chemotherapy treatment is within a CLINICAL TRIAL. Note: * For the National Cancer Waiting Times Monitoring Data Set, default code '99 - Unknown' indicates "Not Recorded".	TREATMENT EVENTS	String	2
CONSULTANTUPGRADEDATE	The DATE of the Consultant Upgrade	OUTPATIENT SERVICES	Date	
CRTPDATE	The Start Date of a Cancer Referral To Treatment Period	OUTPATIENT SERVICES	Date	
CWTPATIENTID	Patient pseudonym generated by the CWT system	PATIENT AND PATHWAY IDENTIFICATION	String	8
DATEFIRSTSEEN	The date that the PATIENT is first seen in the Trust that receives the first referral.	OUTPATIENT SERVICES	Date	
DECTOREFDATE	The DATE on which: <ul style="list-style-type: none"> a GENERAL MEDICAL PRACTITIONER, GENERAL DENTAL PRACTITIONER or OPTOMETRIST decides to refer a PATIENT urgently to secondary care with suspected cancer any CARE PROFESSIONAL decides to make a referral to secondary care for breast symptoms where cancer is not suspected a Screening Service decides to urgently refer a PATIENT with suspected cancer a Consultant Upgrade takes place. 	OUTPATIENT SERVICES	Date	
DELAYCONSTREATREASON	The reason why a Cancer Care Spell Delay occurred when a Consultant Upgrade took place.	TREATMENT EVENTS	String	2
DELAYDTTREATREASON	The reason why a Cancer Care Spell Delay occurred between the DECISION TO TREAT DATE and Treatment Start Date (Cancer).	TREATMENT EVENTS	String	2

DELAYFDPR EASON	The reason why a Cancer Care Spell Delay occurred, where the Health Care Provider was unable to communicate the outcome of the Cancer Faster Diagnosis Pathway within 28 days.	PATIENT STATUS AND DIAGNOSIS	String	2
DELAYREFF SREASON	The reason why a Cancer Care Spell Delay occurred between the Cancer Referral To Treatment Period Start Date and the Date First Seen, when the PRIORITY TYPE is National Code 'Two Week Wait'.	OUTPATIE NT SERVICES	String	2
DELAYREFT REATREASON	The reason why a Cancer Care Spell Delay occurred between the Cancer Referral To Treatment Period Start Date and the Start Date of the first, second or subsequent cancer treatment given to a PATIENT who is receiving care for a cancer condition.	TREATME NT EVENTS	String	2
FDPDIAGSITE	The primary cancer site communicated to the PATIENT on the CANCER FASTER DIAGNOSIS PATHWAY END DATE where patient has diagnosis of cancer.	PATIENT STATUS AND DIAGNOSIS	String	2
FDPENDREA SON	The reason for the end of the Cancer Faster Diagnosis Pathway.	PATIENT STATUS AND DIAGNOSIS	String	2
FDPEXCLUSI ONREASON	The reason for excluding the PATIENT from the Cancer Faster Diagnosis Pathway.	PATIENT STATUS AND DIAGNOSIS	String	2
FDPOUTCOM EMETHOD	The method of communication used to inform the PATIENT of the CANCER FASTER DIAGNOSIS PATHWAY END REASON.	PATIENT STATUS AND DIAGNOSIS	String	2
FDPOUTCOM EPROFTYPE	The CARE PROFESSIONAL TYPE of the CARE PROFESSIONAL communicating the cancer diagnosis outcome to the PATIENT.	PATIENT STATUS AND DIAGNOSIS	String	3
ICS_OF_REG ISTRATION	The Integrated Care System of the GP Practice the subject is registered	Derived	String	5
ICS_OF_RES IDENCE	The Integrated Care System of the address of the subject	Derived	String	10
IPRECEIVE DDATE1	The DATE the Organisation where the PATIENT is being transferred to, received the SERVICE REQUEST from the referring Organisation.	PATIENT STATUS AND DIAGNOSIS	Date	
IPRECEIVE DDATE10	The DATE the Organisation where the PATIENT is being transferred to, received the SERVICE REQUEST from the referring Organisation.	PATIENT STATUS AND DIAGNOSIS	Date	
IPRECEIVE DDATE2	The DATE the Organisation where the PATIENT is being transferred to, received the SERVICE REQUEST from the referring Organisation.	PATIENT STATUS AND DIAGNOSIS	Date	
IPRECEIVE DDATE3	The DATE the Organisation where the PATIENT is being transferred to, received the SERVICE REQUEST from the referring Organisation.	PATIENT STATUS AND DIAGNOSIS	Date	
IPRECEIVE DDATE4	The DATE the Organisation where the PATIENT is being transferred to, received the SERVICE REQUEST from the referring Organisation.	PATIENT STATUS AND DIAGNOSIS	Date	
IPRECEIVE DDATE5	The DATE the Organisation where the PATIENT is being transferred to, received the SERVICE REQUEST from the referring Organisation.	PATIENT STATUS AND DIAGNOSIS	Date	
IPRECEIVE DDATE6	The DATE the Organisation where the PATIENT is being transferred to, received the SERVICE REQUEST from the referring Organisation.	PATIENT STATUS AND DIAGNOSIS	Date	
IPRECEIVE DDATE7	The DATE the Organisation where the PATIENT is being transferred to, received the SERVICE REQUEST from the referring Organisation.	PATIENT STATUS AND DIAGNOSIS	Date	
IPRECEIVE DDATE8	The DATE the Organisation where the PATIENT is being transferred to, received the SERVICE REQUEST from the referring Organisation.	PATIENT STATUS AND DIAGNOSIS	Date	

IPREFERRINGREASON8	Transfer Reason for the ORGANISATION that is referring the PATIENT to another Health Care Provider as part of the inter-provider transfer during a Cancer Care Spell.	PATIENT STATUS AND DIAGNOSIS	String	2
IPREFERRINGREASON9	Transfer Reason for the ORGANISATION that is referring the PATIENT to another Health Care Provider as part of the inter-provider transfer during a Cancer Care Spell.	PATIENT STATUS AND DIAGNOSIS	String	2
IPREFERRINGREASON10	Transfer Reason for the ORGANISATION that is referring the PATIENT to another Health Care Provider as part of the inter-provider transfer during a Cancer Care Spell.	PATIENT STATUS AND DIAGNOSIS	String	2
IPREQUESTDATE1	The SERVICE REQUEST DATE for an inter-provider transfer of a PATIENT from one Health Care Provider to another.	PATIENT STATUS AND DIAGNOSIS	Date	
IPREQUESTDATE10	The SERVICE REQUEST DATE for an inter-provider transfer of a PATIENT from one Health Care Provider to another.	PATIENT STATUS AND DIAGNOSIS	Date	
IPREQUESTDATE2	The SERVICE REQUEST DATE for an inter-provider transfer of a PATIENT from one Health Care Provider to another.	PATIENT STATUS AND DIAGNOSIS	Date	
IPREQUESTDATE3	The SERVICE REQUEST DATE for an inter-provider transfer of a PATIENT from one Health Care Provider to another.	PATIENT STATUS AND DIAGNOSIS	Date	
IPREQUESTDATE4	The SERVICE REQUEST DATE for an inter-provider transfer of a PATIENT from one Health Care Provider to another.	PATIENT STATUS AND DIAGNOSIS	Date	
IPREQUESTDATE5	The SERVICE REQUEST DATE for an inter-provider transfer of a PATIENT from one Health Care Provider to another.	PATIENT STATUS AND DIAGNOSIS	Date	
IPREQUESTDATE6	The SERVICE REQUEST DATE for an inter-provider transfer of a PATIENT from one Health Care Provider to another.	PATIENT STATUS AND DIAGNOSIS	Date	
IPREQUESTDATE7	The SERVICE REQUEST DATE for an inter-provider transfer of a PATIENT from one Health Care Provider to another.	PATIENT STATUS AND DIAGNOSIS	Date	
IPREQUESTDATE8	The SERVICE REQUEST DATE for an inter-provider transfer of a PATIENT from one Health Care Provider to another.	PATIENT STATUS AND DIAGNOSIS	Date	
IPREQUESTDATE9	The SERVICE REQUEST DATE for an inter-provider transfer of a PATIENT from one Health Care Provider to another.	PATIENT STATUS AND DIAGNOSIS	Date	
LA_OF_REGISTRATION	The Local Authority district of the GP Practice the subject is registered	Derived	String	9
LA_OF_RESIDENCE	The Local Authority district of the address of the subject	Derived	String	9
LSOA_OF_REGISTRATION	Lowest geographical Area identified without showing the specific GP practice's postcode location	Derived	String	9
LSOA_OF_RESIDENCE	Lowest geographical Area identified without showing the specific postcode location	Derived	String	12
MDTDATE	A Multidisciplinary Team Discussion Date (Cancer) is the date on which the PATIENT's Cancer Care Plan was discussed at a Multidisciplinary Team Meeting and a treatment planning decision was made.	MULTIDISCIPLINARY TEAM ACTIVITY	Date	
MDTIND	A flag which indicates that the PATIENT's Cancer Care Plan was discussed at a Multidisciplinary Team Meeting and a treatment planning decision was made.	MULTIDISCIPLINARY TEAM ACTIVITY	Boolean	

NHSNUMBER	The primary identifier of a person, is a unique identifier for a patient within the NHS in England and Wales	PATIENT AND PATHWAY IDENTIFICATION	String	10
NHSNUMBER STATUSINDICATORCODE	The trace status of the NHS NUMBER.	PATIENT AND PATHWAY IDENTIFICATION	String	1
Organisation_Code_Area_Team_of_Residence	ORGANISATION CODE derived from the PATIENT's POSTCODE OF USUAL ADDRESS, where they reside within the boundary of an AT	Derived	String	7
Organisation_Code_CCG_of_DFS	ORGANISATION CODE derived from where the Patient has a Date First Seen recorded, where they reside within the boundary of a CCG	Derived	String	7
Organisation_Code_CCG_of_FDS	ORGANISATION CODE derived from where the Patient has a Faster Diagnosis end date recorded, where they reside within the boundary of a CCG	Derived	String	7
Organisation_Code_CCG_of_TSD	ORGANISATION CODE derived from where the Patient has a Treatment Start date recorded, where they reside within the boundary of a CCG	Derived	String	7
ORGANISATIONIDENTIFIERRECEIVING1	The ORGANISATION IDENTIFIER of the ORGANISATION that is receiving the PATIENT from another Health Care Provider.	PATIENT STATUS AND DIAGNOSIS	String	9
ORGANISATIONIDENTIFIERRECEIVING10	The ORGANISATION IDENTIFIER of the ORGANISATION that is receiving the PATIENT from another Health Care Provider.	PATIENT STATUS AND DIAGNOSIS	String	9
ORGANISATIONIDENTIFIERRECEIVING2	The ORGANISATION IDENTIFIER of the ORGANISATION that is receiving the PATIENT from another Health Care Provider.	PATIENT STATUS AND DIAGNOSIS	String	9
ORGANISATIONIDENTIFIERRECEIVING3	The ORGANISATION IDENTIFIER of the ORGANISATION that is receiving the PATIENT from another Health Care Provider.	PATIENT STATUS AND DIAGNOSIS	String	9
ORGANISATIONIDENTIFIERRECEIVING4	The ORGANISATION IDENTIFIER of the ORGANISATION that is receiving the PATIENT from another Health Care Provider.	PATIENT STATUS AND DIAGNOSIS	String	9
ORGANISATIONIDENTIFIERRECEIVING5	The ORGANISATION IDENTIFIER of the ORGANISATION that is receiving the PATIENT from another Health Care Provider.	PATIENT STATUS AND DIAGNOSIS	String	9
ORGANISATIONIDENTIFIERRECEIVING6	The ORGANISATION IDENTIFIER of the ORGANISATION that is receiving the PATIENT from another Health Care Provider.	PATIENT STATUS AND DIAGNOSIS	String	9
ORGANISATIONIDENTIFIERRECEIVING7	The ORGANISATION IDENTIFIER of the ORGANISATION that is receiving the PATIENT from another Health Care Provider.	PATIENT STATUS AND DIAGNOSIS	String	9
ORGANISATIONIDENTIFIERRECEIVING8	The ORGANISATION IDENTIFIER of the ORGANISATION that is receiving the PATIENT from another Health Care Provider.	PATIENT STATUS AND DIAGNOSIS	String	9
ORGANISATIONIDENTIFIERRECEIVING9	The ORGANISATION IDENTIFIER of the ORGANISATION that is receiving the PATIENT from another Health Care Provider.	PATIENT STATUS AND DIAGNOSIS	String	9
ORGANISATIONIDENTIFIERREFERRING1	The ORGANISATION IDENTIFIER of the ORGANISATION from which the referral is made, such as a GP Practice, NHS Trust or NHS Foundation Trust.	PATIENT STATUS AND DIAGNOSIS	String	9
ORGANISATIONIDENTIFIERREFERRING10	The ORGANISATION IDENTIFIER of the ORGANISATION from which the referral is made, such as a GP Practice, NHS Trust or NHS Foundation Trust.	PATIENT STATUS AND DIAGNOSIS	String	9

ORGANISATION IDENTIFIER RREFERRING G2	The ORGANISATION IDENTIFIER of the ORGANISATION from which the referral is made, such as a GP Practice, NHS Trust or NHS Foundation Trust.	PATIENT STATUS AND DIAGNOSIS	String	9
ORGANISATION IDENTIFIER RREFERRING G3	The ORGANISATION IDENTIFIER of the ORGANISATION from which the referral is made, such as a GP Practice, NHS Trust or NHS Foundation Trust.	PATIENT STATUS AND DIAGNOSIS	String	9
ORGANISATION IDENTIFIER RREFERRING G4	The ORGANISATION IDENTIFIER of the ORGANISATION from which the referral is made, such as a GP Practice, NHS Trust or NHS Foundation Trust.	PATIENT STATUS AND DIAGNOSIS	String	9
ORGANISATION IDENTIFIER RREFERRING G5	The ORGANISATION IDENTIFIER of the ORGANISATION from which the referral is made, such as a GP Practice, NHS Trust or NHS Foundation Trust.	PATIENT STATUS AND DIAGNOSIS	String	9
ORGANISATION IDENTIFIER RREFERRING G6	The ORGANISATION IDENTIFIER of the ORGANISATION from which the referral is made, such as a GP Practice, NHS Trust or NHS Foundation Trust.	PATIENT STATUS AND DIAGNOSIS	String	9
ORGANISATION IDENTIFIER RREFERRING G7	The ORGANISATION IDENTIFIER of the ORGANISATION from which the referral is made, such as a GP Practice, NHS Trust or NHS Foundation Trust.	PATIENT STATUS AND DIAGNOSIS	String	9
ORGANISATION IDENTIFIER RREFERRING G8	The ORGANISATION IDENTIFIER of the ORGANISATION from which the referral is made, such as a GP Practice, NHS Trust or NHS Foundation Trust.	PATIENT STATUS AND DIAGNOSIS	String	9
ORGANISATION IDENTIFIER RREFERRING G9	The ORGANISATION IDENTIFIER of the ORGANISATION from which the referral is made, such as a GP Practice, NHS Trust or NHS Foundation Trust.	PATIENT STATUS AND DIAGNOSIS	String	9
ORGANISATION SITE ACTING AS HEALTH CARE PROVIDER WHEN A DECISION IS MADE TO UPGRADE THE PATIENT TO AN URGENT CANCER PATIENT PATHWAY. THE DECISION TO UPGRADE MUST BE MADE BY A CONSULTANT OR AN AUTHORISED MEMBER OF THE CONSULTANTS TEAM (SUBJECT TO LOCAL AGREEMENT).		OUTPATIENT SERVICES	String	9
ORGANISATION SITE ACTING AS HEALTH CARE PROVIDER WHERE THE DECISION TO TREAT THE PATIENT WAS MADE WHICH INITIATED A CANCER CARE PLAN WITH ONE OR MORE PLANNED CANCER TREATMENTS.		PATIENT STATUS AND DIAGNOSIS	String	9
ORGANISATION SITE ACTING AS HEALTH CARE PROVIDER WHERE THE CANCER FASTER DIAGNOSIS PATHWAY END DATE IS RECORDED		PATIENT STATUS AND DIAGNOSIS	String	9
ORGANISATION IDENTIFIER OF THE ORGANISATION SITE OF THE HEALTH CARE PROVIDER AT THE FIRST CONTACT WITH THE PATIENT.		OUTPATIENT SERVICES	String	9
ORGANISATION IDENTIFIER	A unique identifier for an ORGANISATION.	PATIENT AND PATHWAY IDENTIFICATION	String	9
ORGANISATION SITE WHERE THE TREATMENT START DATE (CANCER) IS RECORDED.		TREATMENT EVENTS	String	9
PATIENT PATHWAY ID	An identifier, which together with the ORGANISATION CODE / ORGANISATION IDENTIFIER of the issuer, uniquely identifies a PATIENT PATHWAY.	PATIENT AND PATHWAY IDENTIFICATION	String	20
PATIENT STATUS	The status of a REFERRAL REQUEST for a PATIENT referred with a suspected cancer, or referred with breast symptoms with cancer not originally suspected.	PATIENT STATUS AND DIAGNOSIS	String	2
PDS_DATE_OF_BIRTH	The date the patient was born as recorded on their birth certificate.	Data retrieved from PDS	Date	8 (CCYYM MDD)
PDS_DATE_OF_DEATH	Date of Death	Data retrieved from PDS	Date	8 (CCYYM MDD)

PDS_GENDER	A classification of the sex of a PERSON.	Data retrieved from PDS	String	14
PDS_GPCODE	The GP Practice that the patient is registered at. ODS code format.	Derived	String	6
PDS_POSTCODE	Postcode Of Usual Address	Data retrieved from PDS	String	7
PRIMARYDIAGNOSISICD	The International Classification of Diseases (ICD) code used to identify the PRIMARY DIAGNOSIS.	PATIENT STATUS AND DIAGNOSIS	String	6
PRIORITYTYPECODE	The priority code of a SERVICE REQUEST	OUTPATIENT SERVICES	String	1
PROSTATECLINICALRISKCATEGORY	The clinical risk of prostate cancer as defined by the CARE PROFESSIONAL.	PATIENT STATUS AND DIAGNOSIS	String	1
RADIOTHERAPYPRIORITY	Recorded where the CANCER TREATMENT MODALITY is National Code 'Teletherapy (Beam radiation excluding Proton Therapy)'. It is the priority for the Radiotherapy Treatment Course as classified by the requesting clinician.	TREATMENT EVENTS	String	9999
RDCCOMPLIANCEIND	An indication of whether the Rapid Diagnostic Centre Pathway is compliant with the Rapid Diagnostic Centres Vision and 2019/20 Implementation Specification.	OUTPATIENT SERVICES	String	1
RECORDID	Unique record identifier generated by the CWT system	Record Identifiers	String	9
REFTYPE	The site where cancer is suspected	OUTPATIENT SERVICES	String	2
SOURCEOFFERRALFOROUTPATIENT	The source of referral of each Consultant Out-Patient Episode.	OUTPATIENT SERVICES	String	2
TREATMENTSTARTDATECANCER	The Start Date of the first, second or subsequent cancer treatment given to a PATIENT who is receiving care for a cancer condition.	TREATMENT EVENTS	Date	
TUMOURLATERALITY	Identifies the side of the body for a Tumour relating to paired organs within a PATIENT.	PATIENT STATUS AND DIAGNOSIS	String	1
WAITINGTIMEADJUSTMENTFIRSTSEEN	The number of days that should be removed from the calculated waiting time for the two week wait period, the 28 day period and potentially the 62 day period (if cancer is confirmed), i.e. between receipt of the referral or decision of Consultant Upgrade (recorded as CANCER REFERRAL TO TREATMENT PERIOD START DATE or CONSULTANT UPGRADE DATE) and the DATE FIRST SEEN.	OUTPATIENT SERVICES	Integer	8
WAITINGTIMEADJUSTMENTREASON	The prime reason for the adjustment and where there is more than one adjustment applicable, this should be the reason for the longest calculated adjustment days.	TREATMENT EVENTS	String	1
WAITINGTIMEADJUSTMENTTREATMENT	The number of days that should be removed from the derived waiting time between Cancer Treatment Period Start Date and Treatment Start Date (Cancer).	TREATMENT EVENTS	Integer	8
WTAFIRSTSEENREASON	The national code for the reason for an adjustment to a waiting time prior to the DATE FIRST SEEN. If there is more than one adjustment applicable, WAITING TIME ADJUSTMENT REASON (FIRST SEEN) should be the reason for the longest calculated adjustment days.	OUTPATIENT SERVICES	String	1